

CE – Declaration of Conformity

Document: CE-UKCA250702A_Lineal Surface
 Product Inspection: PI240402A
 Risk Assessment: RA240401B

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Lineal Surface

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i>	<i>Directive 2014 / 35 / EU</i>	<i>Directive 2009 / 125 / EF</i>
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	(Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) * As applicable and including amendments

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 60598-2-22:2022	(Luminaires for emergency lighting)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)

CE declaration date: 2025

Statement of Conformity


issued by SG Armaturen AS

Manufacturer

Lillesand, 02/07-2025
 Place and date of issue

Martin Ettrup

Approval Engineer
 Name of authorized person


 Signature of authorized person

UKCA – Declaration of Conformity

Document: CE-UKCA250702A_Lineal Surface
 Product Inspection: PI240402A
 Risk Assessment: RA240401B

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Lineal Surface

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 60598-2-22:2022	(Luminaires for emergency lighting)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS


Manufacturer

Lillesand, 02/07-2025
 Place and date of issue

Martin Ettrup

Approval Engineer

Name of authorized person


Signature of authorized person

Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
5703821180429	Lineal surface 1400 White 2440lm	4000K Ra>80 DALI-2 / Push Dim	130336
5703821180412	Lineal surface 1400 White 2320lm	3000K Ra>80 DALI-2 / Push Dim	130336
5703821179140	Lineal surface 1120 Black 1830lm	4000K Ra>80 DALI-2 / Push Dim	130336
5703821180399	Lineal surface 1120 White 1870lm	3000K Ra>80 DALI-2 / Push Dim	130336
5703821180337	Lineal surface 840 Black 1350lm	4000K Ra>80 DALI-2 / Push Dim	130336
5703821180382	Lineal surface 840 White 1450lm	4000K Ra>80 DALI-2 / Push Dim	130336
5703821180344	Lineal surface 1120 Black 1740lm	3000K Ra>80 DALI-2 / Push Dim	130336
5703821180375	Lineal surface 840 White 1380lm	3000K Ra>80 DALI-2 / Push Dim	130336
5703821180368	Lineal surface 1400 Black 2270lm	4000K Ra>80 DALI-2 / Push Dim	130336
5703821180405	Lineal surface 1120 White 1970lm	4000K Ra>80 DALI-2 / Push Dim	130336
5703821180320	Lineal surface 840 Black 1280lm	3000K Ra>80 DALI-2 / Push Dim	130336
5703821180351	Lineal surface 1400 Black 2160lm	3000K Ra>80 DALI-2 / Push Dim	130336
5703821180818	Lineal 1120 Black Blind profile	DALI-2 / Push Dim	130336
5703821180801	Lineal 1120 White Blind profile	DALI-2 / Push Dim	130336
5703821178112	Lineal Corner Black 1830lm	4000K Ra>80 DALI-2 / Push Dim	130336
5703821178082	Lineal Corner Black 1740lm	3000K Ra>80 DALI-2 / Push Dim	130336
5703821178099	Lineal Corner White 1970lm	4000K Ra>80 DALI-2 / Push Dim	130336
5703821178105	Lineal Corner White 1870lm	3000K Ra>80 DALI-2 / Push Dim	130336
5703821181525	Lineal Corner Black 3470lm	4000K Ra>80 DALI / Push Dim	130336
5703821183345	Lineal suspended 1400 White 2540lm	4000K Ra>80 DALI EM	130336
5703821206105	Lineal surface 1120 White 1400lm	2700K Ra>80 DALI-2 / Push Dim	130336
7021982122392	Lineal surface White	4000K DALI-2	130336
9341000750	Lineal Surface 3580 D 67W 7200lm	4000K Ra>80 DALI-2 EM	130336
Start kit			
5703821180443	Lineal surface Start kit White	DALI / Push Dim	130336
5703821180436	Lineal surface Start kit Black	DALI / Push Dim	130336
5703821180818	Lineal 1120 Black Blind profile	DALI-2 / Push Dim	130336
5703821178129	Lineal 2800 front opalprismatisk		130336
5703821178136	Lineal 5600 front opalprismatisk		130336
5703821178143	Lineal 8400 front opalprismatisk		130336
5703821180450	Lineal 2240 White Blind profile Front		130336