

CE – Declaration of Conformity

Document: CE-UKCA250703A_Hurdal
 Product Inspection: PI250702A
 Risk Assessment: RA250701A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Hurdal

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i>	<i>Directive 2014 / 35 / EU</i>	<i>Directive 2009 / 125 / EF</i>
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	(Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) * As applicable and including amendments

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)

CE declaration date: 2025

Statement of Conformity


issued by SG Armaturen AS

Manufacturer

Lillesand, 03/07-2025
 Place and date of issue

Martin Ettrup

Approval Engineer
 Name of authorized person


 Signature of authorized person

UKCA – Declaration of Conformity

Document: CE-UKCA250703A_Hurdal
 Product Inspection: PI250702A
 Risk Assessment: RA250701A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Hurdal

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)


UKCA declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 03/07-2025
 Place and date of issue

Martin Ettrup
Approval Engineer
 Name of authorized person


Signature of authorized person

Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021981131005	Hurdal 600 White 1590lm	3000K Ra>80 On/Off	703030
7021981131012	Hurdal 1200 White 3460lm	3000K Ra>80 On/Off	703030
7021981131029	Hurdal 1500 White 4640lm	3000K Ra>80 On/Off	703030
7021981131036	Hurdal 600 White 1680lm	4000K Ra>80 On/Off	703030
7021981131043	Hurdal 1200 White 3750lm	4000K Ra>80 On/Off	703030
7021981131050	Hurdal 1500 White 4680lm	4000K Ra>80 On/Off	703030
7021981131067	Hurdal 600 White 1590lm	3000K Ra>80 Sensor Dim	703030
7021981131098	Hurdal 600 White 1710lm	4000K Ra>80 Sensor Dim	703030
7021981131074	Hurdal 1200 White 3460lm	3000K Ra>80 Sensor Dim	703030
7021981131111	Hurdal 1500 White 4820lm	4000K Ra>80 Sensor Dim	703030
7021981131081	Hurdal 1500 White 4640lm	3000K Ra>80 Sensor Dim	703030
7021981131104	Hurdal 1200 White 3660lm	4000K Ra>80 Sensor Dim	703030
7021981131128	Hurdal 600	3000K DALI	703030
7021981131135	Hurdal 1200	3000K DALI	703030
7021981131142	Hurdal 1500	3000K DALI	703030
7021981131159	Hurdal 600	4000K DALI	703030
7021981131166	Hurdal 1200	4000K DALI	703030
7021981131173	Hurdal 1500	4000K DALI	703030
7021981131234	Hurdal 1500 White 4820lm	4000K Ra>80 PIR Sensor	703030
7021981131180	Hurdal 600 White 1590lm	3000K Ra>80 PIR Sensor	703030
7021981131197	Hurdal 1200 White 3460lm	3000K Ra>80 PIR Sensor	703030
7021981131203	Hurdal 1500 White 4640lm	3000K Ra>80 PIR Sensor	703030
7021981131210	Hurdal 600 White 1710lm	4000K Ra>80 PIR Sensor	703030
7021981131227	Hurdal 1200 White 3660lm	4000K Ra>80 PIR Sensor	703030