CE – Declaration of Conformity

Document: CE-UKCA260528A_Wax
Product Inspection: PI260526A
Risk Assessment: RA220215A

We,

SG Armaturen AS
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire
Type

Wax
Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

Directive 2014 / 30 / EU	*Directive 2014 / 35 / EU*	*Directive 2009 / 125 / EF* (Regs 244/2009, 245/2009, 347/2010)*
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	Ecodesign requirements (ECO) * As applicable and including amendments

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863 + RoHS 2022/284

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 60598-2-3:2005+A1:2011	(Luminaires – Road & Street lighting)
EN 62722-1:2022	(Luminaire performance - General requirements)
EN 62722-2-1:2023	(Luminaire performance - Particular requirements)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
Regulation (EC) No. 852/2004 (HACCP)	(Hygiene of Foodstuffs)

CE declaration date: 2026

Statement of Conformity issued by SG Armaturen AS

Manufacturer
Lillesand, 28/05-2026
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person

Signature of authorized person

UKCA – Declaration of Conformity

Document:	CE-UKCA260520A_Hurdal Maxi
Product Inspection:	PI260203A
DEKRA test documentation (HACCP):	3440084.60
Risk Assessment:	RA250701B

We,

SG Armaturen AS
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire
Type

Wax
Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

UK SI 2016 No. 1091	*UK SI 2016 No. 1101*	*UK SI 2010 No. 2617*	*UK SI 2012 No. 3032*
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 60598-2-3:2005+A1:2011	(Luminaires – Road & Street lighting)
EN 62722-1:2022	(Luminaire performance - General requirements)
EN 62722-2-1:2023	(Luminaire performance - Particular requirements)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
Regulation (EC) No. 852/2004 (HACCP)	(Hygiene of Foodstuffs)

UKCA declaration date: 2026

Statement of Conformity issued by SG Armaturen AS

Manufacturer
Lillesand, 28/05-2026
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person

Signature of authorized person

Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
5703821172769	Wax Grey 13° 3200lm	4000K Ra>80 On/Off	130988
5703821172721	Wax Grey 13° 1370/2460lm	3000K Ra>80 On/Off	130988
5703821173117	Wax Black 13° 1370/2460lm	3000K Ra>80 On/Off	130988
5703821172738	Wax Grey 13° 1370/2460lm	4000K Ra>80 On/Off	130988
5703821172981	Wax Grey 13° 3200lm	4000K Ra>80 Lumistep LS8 50% Dim	130988
5703821172783	Wax Grey 27° 1480/2520lm	4000K Ra>80 On/Off	130988
5703821172974	Wax Grey 13° 3200lm	3000K Ra>80 Lumistep LS8 50% Dim	130988
5703821172998	Wax Grey 27° 3500lm	3000K Ra>80 Lumistep LS8 50% Dim	130988
5703821172752	Wax Grey 27° 3500lm	3000K Ra>80 On/Off	130988
5703821172790	Wax Grey 27° 3710lm	4000K Ra>80 On/Off	130988
5703821173148	Wax Black 27° 1480/2520lm	4000K Ra>80 On/Off	130988
5703821172745	Wax Grey 13° 3200lm	3000K Ra>80 On/Off	130988
5703821173001	Wax Grey 27° 3710lm	4000K Ra>80 Lumistep LS8 50% Dim	130988
5703821173131	Wax Black 27° 1450/2420lm	3000K Ra>80 On/Off	130988
5703821173124	Wax Black 13° 1370/2460lm	4000K Ra>80 On/Off	130988
5703821173230	Wax Black 27° 3500lm	3000K Ra>80 On/Off	130988
5703821173247	Wax Black 27° 3500lm	3000K Ra>80 Lumistep LS8 50% Dim	130988
5703821173292	Wax Black 13° 3200lm	3000K Ra>80 Lumistep LS8 50% Dim	130988
5703821172776	Wax Grey 27° 1450/2420lm	3000K Ra>80 On/Off	130988
5703821173278	Wax Black 13° 3200lm	4000K Ra>80 Lumistep LS8 50% Dim	130988
5703821173155	Wax Black 27° 3710lm	4000K Ra>80 On/Off	130988
5703821173254	Wax Black 27° 3710lm	4000K Ra>80 Lumistep LS8 50% Dim	130988
5703821173261	Wax Black 13° 3200lm	3000K Ra>80 On/Off	130988
5703821213141	Wax Grey 27° 3500lm	3000K Ra>80 DALI-2	130988
5703821213158	Wax Grey 27° 3700lm	4000K Ra>80 DALI-2	130988
5703821213165	Wax Black 27° 3500lm	3000K Ra>80 DALI-2	130988
5703821213172	Wax Black 27° 3700lm	4000K Ra>80 DALI-2	130988
5703821181488	Wax Orange 1430/2440lm	3000K Ra>80 On/Off	130988
5703821181495	Wax Blue 1430/2440lm	3000K Ra>80 On/Off	130988
5703821181471	Wax Green 1430/2440lm	3000K Ra>80 On/Off	130988