



CE – Declaration of Conformity

Document: CE-UKCA250910C_Disc 480 TW
Product Inspection: PI250909A
Risk Assessment: RA250317A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Disc 480 TW

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i> Electromagnetic compatibility (EMC)	<i>Directive 2014 / 35 / EU</i> Low Voltage directive (LVD)	<i>Directive 2009 / 125 / EF</i> (Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) * As applicable and including amendments
--	--	--

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 60598-2-22:2022	(Luminaires for emergency lighting)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)

CE declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 10/09-2025
Place and date of issue

Martin Etrup
Approval Engineer
Name of authorized person

Martin Etrup
Signature of authorized person



UKCA – Declaration of Conformity

Document: CE-UKCA250910C_Disc 480 TW
Product Inspection: PI250909A
Risk Assessment: RA250317A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Disc 480 TW

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 60598-2-22:2022	(Luminaires for emergency lighting)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 10/09-2025
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person

Martin Ettrup
Signature of authorized person



Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021986060263	Disc 480 TW Black 3470lm	2700-6500K Ra>80 TW DALI Type 8	702209
7021986060102	Disc 480 TW White 3770lm	2700-6500K Ra>80 TW LEDDim	702209
7021986060096	Disc 480 TW White 3770lm	2700-6500K Ra>80 TW DALI Type 8	702209
7021986060270	Disc 480 TW Black 3470lm	2700-6500K Ra>80 TW LEDDim	702209
7021986060973	Disc 480 TW Black 3770lm	2700-6500K Ra>80 TW DALI Type 8 EM	702209
7021986061048	Disc 480 TW White 3770lm	2700-6500K Ra>80 TW LEDDim EM	702209
7021986061062	Disc 480 TW Black 3770lm	2700-6500K Ra>80 TW LEDDim EM	702209
7021986061161	Disc 480 TW White 3900lm	2000-4000K Ra>80 TW LEDDim	702209
7021986061178	Disc 480 TW Black 3790lm	2000-4000K Ra>80 TW LEDDim	702209