

Concido Pendant




Suspended direct/indirect drop-shaped luminaire, white or dark grey structure surface, complete with matt mouth-blown opal glass, direct light controlled using LED. Indirect light ensures even illumination of the opal glass, including five-metre wire suspension set and cable. Mounting hardware and fittings for ceiling-mounting are included.

Concido Pendant



Immagini del prodotto e dell'ambiente



Articolo	Protezione	Apparecchiatura di controllo	Montaggio/Collegamento	Dimensioni
 8246079774 Concido Pendel LED Bianco 5410lm 3000K Ra>80 DALI-2 / Push Dim 55W Lampade fluorescenti compatte 98 lm/W SDCM:3 L70/B50>50.000 Diretto/indiretto 75/25 per cento, Vetro opalino	Classe I IP20	DALI-2 / Push Dim	Sospeso, Indoor Cavo 5x0,75 mm² 5,0 m	Ø292 x H645
 8246087009 Concido Pendel LED Bianco 5410lm 3000K Ra>80 Non dimmerabile 55W Lampade fluorescenti compatte 98 lm/W SDCM:3 L70/B50>50.000 Diretto/indiretto 75/25 per cento, Vetro opalino	Classe I IP20	Non dimmerabile	Sospeso, Indoor Cavo 4x0,75mm² 5,0m bianco	Ø292 x H645