






Box LED luminaire for surface-mounting on ceiling. High lumen output and very efficient LED boards make it very well suited to shops and areas requiring a lot of light. Replaceable LED module without use of tools, Connection via five-pin terminal block from top or via holes in ends. Made of steel, powder-coated RAL9010 gloss 25, Opal diffuser made of PMMA.

Basic



Immagini del prodotto e dell'ambiente



Articolo		Protezione	Apparecchiatur a di controllo	Montaggio/Collegamento	Dimensioni
	8246087562	Classe I	Non dimmerabile	Montaggio a superficie, Indoor Morsetto rapido	L1530 x W230 x H85
	Basic Bianco 8030lm 3000K Ra>80	IP20			
	Non dimmerabile				
	46W Lampade fluorescenti compatte				
	175 lm/W SDCM:3				
	L80/B10>50.000				
Diretto, Diffusore opalino					
	8246093420	Classe I	Non dimmerabile	Montaggio a superficie, Indoor Morsetto rapido	L1530 x W230 x H85
	Basic Bianco 8380lm 4000K Ra>80	IP20			
	Non dimmerabile				
	46W Lampade fluorescenti compatte				
	182 lm/W SDCM:3				
	L80/B10>50.000				
Diretto, Diffusore opalino					
Accessori					
	820307				L137 x W27 x H27
	Batteria per luce di emergenza 3 Timer 3.0Ah - Modello n: B093				