

Metro Deco



Round wall luminaire for outdoor installation. Available both as an upward/downward light and as a downward light. The luminaire has an interchangeable GU10 LED light source (included) and is dimmable with a trailing-edge dimmer. Simple installation with a wall bracket and connector for the lamp, two cable inputs and the option of both visible and concealed cabling. Can be mounted on a corner with a corner bracket (sold separately).

Immagini del prodotto e dell'ambiente



Articolo	Protezione	Apparecchiatura di controllo	Montaggio/Collegamento	Dimensioni
 623704 Metro Deco Grafite 350lm 3000K Ra>80 Taglio di fase 6.2W Lampade fluorescenti compatte 56 lm/W SDCM:4 L70/B50>25.000 Beam: 35°, Diretto, Plastica trasparente	Classe II IP65 IK08	Taglio di fase	Montaggio a superficie, Outdoor Morsetto rapido	W90 x H125 x D147
 623705 Metro Deco 2x6,2W Grafite 700lm 3000K Ra>80 Taglio di fase 12.4W Lampade fluorescenti compatte 56 lm/W SDCM:4 L70/B50>25.000 Beam: 35°/35°, Diretto, Plastica trasparente	Classe II IP65 IK08	Taglio di fase	Montaggio a superficie, Outdoor Morsetto rapido	W90 x H225 x D147
Accessori				
 614207 Echo Nero Raccordi angolari				W80 x H101 x D50
 623207 Echo Grafite Raccordi angolari				W80 x H101 x D50
 611207 Echo Bianco Raccordi angolari				W80 x H101 x D50