



LED spot for three-phase rail system. Fitted with global adapter and compatible with all systems that work with this. Powerful LED chip and integrated driver gives this spot a minimalistic and exclusive look. Luminaire body made of powder-coated aluminium, 50-degree reflector that can be replaced with 17 or 32-degree reflector. A long service life, fantastic colour retention and large lumen package make Vision the ideal choice for shops and exhibitions.

Immagini del prodotto e dell'ambiente



Articolo	Protezione	Apparecchiatura di controllo	Montaggio/Collegamento	Dimensioni
 314483 Vision Nero 2820lm 4000K Ra>90 Non dimmerabile 30W Lampade fluorescenti compatte 94 lm/W SDCM:2 L80/B20>50.000 Diretto,	Classe I IP20	Non dimmerabile	Montaggio a superficie, Indoor	L223 x W110 x H238
 312483 Vision Bianco 2820lm 4000K Ra>90 Non dimmerabile 30W Lampade fluorescenti compatte 94 lm/W SDCM:2 L80/B20>50.000 Diretto,	Classe I IP20	Non dimmerabile	Montaggio a superficie, Indoor	L223 x W110 x H238
Accessori				
 300470 Tube(Eco)/Aneto 17° Riflettore				L75 x W75 x H55
 300471 Tube(Eco)/Aneto 32° Riflettore				L75 x W75 x H55
 300472 Tube(Eco)/Aneto 50° Riflettore				L75 x W75 x H55