

Zip Pro Mini 3-Circuit



Three-phase rail spot with integrated powerful LED chip and driver. Dimmable with phase dimmer. Mounted using global multi-adapter, which is ideal for SG's three-phase rail system as well as other systems where Global can be used. Perfect colour rendering due to very high RA value and SDCM 2. ZIP Pro Mini is made of powder-coated aluminium, flexible and able to be pointed in almost all directions, making it the obvious choice for all places where spots or effect lighting is to be used.

Zip Pro Mini 3-Circuit



Immagini del prodotto e dell'ambiente



Articolo	Protezione	Apparecchiatura di controllo	Montaggio/Collegamento	Dimensioni
 3467 Zip Pro Mini 3 luci Nero 1280lm 3000K Ra>90 Taglio di fase 19W Lampade fluorescenti compatte 67 lm/W SDCM:2 L80/B20>50.000 Beam: 40°, Diretto, Riflettore	Classe I IP20	Taglio di fase	Montaggio a superficie, Indoor Guida ShopLine (adattatore incluso)	L156 x W70 x H205
 3464 Zip Pro Mini 3 luci Bianco 1280lm 3000K Ra>90 Taglio di fase 19W Lampade fluorescenti compatte 67 lm/W SDCM:2 L80/B20>50.000 Beam: 40°, Diretto, Riflettore	Classe I IP20	Taglio di fase	Montaggio a superficie, Indoor Guida ShopLine (adattatore incluso)	L156 x W70 x H205