

Sense 320 DALI



General lighting luminaire for ShopLine DALI three-phase track systems. It can even be used with other track systems that fits Global DALI adapters. Stylish, thin disc, with opal prismatic front, directing the light and securing low glare. The driver is Integrated in the track adapter.

Sense 320 DALI



Immagini del prodotto e dell'ambiente



Articolo	Protezione	Apparecchiatura di controllo	Montaggio/Collegamento	Dimensioni
 212388 Sense 320 3-T Nero 3160lm 3000K Ra>80 DALI-2 27W Lampade fluorescenti compatte 117 lm/W SDCM:3 L80/B20>100.000 Beam: 85°, Diretto, Opale	Classe II SELV IP40/IP20	DALI-2	Montaggio a superficie, Indoor Guida DALI ShopLine (adattatore incluso)	Ø320 x H100
 212384 Sense 320 3-T Bianco 3390lm 3000K Ra>80 DALI-2 27W Lampade fluorescenti compatte 126 lm/W SDCM:3 L80/B20>100.000 Beam: 85°, Diretto, Opale	Classe II SELV IP40/IP20	DALI-2	Montaggio a superficie, Indoor Guida DALI ShopLine (adattatore incluso)	Ø320 x H100
 212389 Sense 320 3-T Nero 3170lm 4000K Ra>80 DALI-2 27W Lampade fluorescenti compatte 117 lm/W SDCM:3 L80/B20>100.000 Beam: 85°, Diretto, Opale	Classe II SELV IP40/IP20	DALI-2	Montaggio a superficie, Indoor Guida DALI ShopLine (adattatore incluso)	Ø320 x H100
 212385 Sense 320 3-T Bianco 3460lm 4000K Ra>80 DALI-2 27W Lampade fluorescenti compatte 128 lm/W SDCM:3 L80/B20>100.000 Beam: 85°, Diretto, Opale	Classe II SELV IP40/IP20	DALI-2	Montaggio a superficie, Indoor Guida DALI ShopLine (adattatore incluso)	Ø320 x H100