


Disc 760



Disc 760 is suitable for large rooms, foyers, meeting rooms, restaurants, etc. Energy-efficient surface LED luminaires with a slim profile for a contemporary look. The Opalprismatic diffuser provides uniform light with low glare, UGR

Immagini del prodotto e dell'ambiente



Articolo	Protezione	Apparecchiatura a di controllo	Montaggio/Collegamento	Dimensioni
 606178 Disc 760 Nero 6230/6330lm 2700/3000K Ra>80 DALI-2 / Push Dim 55W Lampade fluorescenti compatte 113 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 83°, Diretto, Opale prismatico	Classe II IP20 IK10	DALI-2 / Push Dim	Montaggio a superficie, Indoor Morsetto rapido	Ø760 x H55
 606177 Disc 760 Bianco 6910/7130lm 2700/3000K Ra>80 DALI-2 / Push Dim 55W Lampade fluorescenti compatte 126 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 88°, Diretto, Opale prismatico	Classe II IP20 IK10	DALI-2 / Push Dim	Montaggio a superficie, Indoor Morsetto rapido	Ø760 x H55
 606133 Disc 760 Nero 7360lm 4000K Ra>80 DALI-2 / Push Dim 64W Lampade fluorescenti compatte 115 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 83°, Diretto, Opale prismatico	Classe II IP20 IK10	DALI-2 / Push Dim	Montaggio a superficie, Indoor Morsetto rapido	Ø760 x H55
 606131 Disc 760 Bianco 7540lm 4000K Ra>80 DALI-2 / Push Dim 64W Lampade fluorescenti compatte 118 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 88°, Diretto, Opale prismatico	Classe II IP20 IK10	DALI-2 / Push Dim	Montaggio a superficie, Indoor Morsetto rapido	Ø760 x H55
Accessori				
 616113 Disc 760 Nero Kit pendolo				L5000 x W102 x H22
 616112 Disc 760 Bianco Kit pendolo				L5000 x W102 x H22



Articolo	Protezione	Apparecchiatur a di controllo	Montaggio/Collegamento	Dimensioni
 212234 Sense Surface/Disc 760 2m Wireset				L2000