

Tube Mini R TW



Tube Mini R TW is a stylish and minimalist spotlight for recessed mounting in straight and inclined ceilings. It has a powerful light that can be used indirect for general lighting or directly to emphasize parts of the environment. The spot can be rotated and tilted to exactly where the light is needed. It is easy to install with springs in a standard Ø83 hole. Can be looped and is class II, for easy replacement where earth cable is not present. Tube Mini R TW comes with a black bezel as standard, with low glare. Other bezels are also available separately as accessory.

Tube Mini R TW



Immagini del prodotto e dell'ambiente



Articolo	Protezione	Apparecchiatura di controllo	Montaggio/Collegamento	Dimensioni
 320727 Tube Mini R TW Nero 620lm (@4000K) 2000-4000K TW LEDDim 13W Lampade fluorescenti compatte 48 lm/W SDCM:2 L90/B10>100.000 Beam: 40°, Diretto, Riflettore medio	Classe II IP20	TW LEDDim	Precipitazioni, Indoor Morsetto rapido	L226 x W94 x H94
 320726 Tube Mini R TW Bianco 620lm (@4000K) 2000-4000K TW LEDDim 13W Lampade fluorescenti compatte 48 lm/W SDCM:2 L90/B10>100.000 Beam: 40°, Diretto, Riflettore medio	Classe II IP20	TW LEDDim	Precipitazioni, Indoor Morsetto rapido	L226 x W94 x H94