





Arena Eco Connect is an energy-efficient and practical LED luminaire for warehouses and industrial environments, featuring an integrated SG Connect sensor for smart and energy-saving lighting control. The sensor switches the light on when motion is detected and off after a defined time period, ensuring significant energy savings. It also includes a built-in daylight sensor that can be activated to maintain the desired light level at all times. Arena Eco Connect is available with two sensor variants: Low-Bay for mounting heights up to 5 meters and Mid-Bay for heights up to 12 meters, ensuring optimal detection regardless of installation height. Configuration is simple via the SG Connect Commissioning App, and the luminaire can be used as a standalone unit or as part of a larger system that can easily be expanded or reconfigured as needed. Arena Eco Connect combines high performance with easy installation. It features a hinged component box for quick mounting and can be installed directly on the ceiling with screws or using mounting hooks for horizontal wires. Pre-installed through-wiring and cable entry at both ends make installation even more efficient.

Arena Eco Connect




Immagini del prodotto e dell'ambiente





Per le dimensioni dei disegni si vedano i codici dei singoli articoli nella pagina successiva.

Articolo	Protezione	Apparecchiatura di controllo	Montaggio/Collegamento	Dimensioni
 <p>607026</p> <p>Arena Eco Connect Baia bassa 1500 IP20</p> <p>Grigio Ampio 10960lm 4000K Ra>80</p> <p>Connect</p> <p>76W Lampade fluorescenti compatte</p> <p>144 lm/W SDCM:3</p> <p>L80/B20>100.000, L90>50.000</p> <p>Beam: 90°, Diretto, Lente</p>	<p>Classe I</p>	<p>Connect</p>	<p>Montaggio a superficie, Indoor</p> <p>Morsetto rapido a 5 poli con connessione passante 5x2,5mm²</p>	<p>L1552 x W134 x H72</p>