



# CE – Declaration of Conformity

Document: CE260112A\_Junistar Eco IsoSafe  
Product Inspection: PI260109A  
Risk Assessment: RA250306A  
Test report: SDFS2407004763FR-01

We, **SG Armaturen AS**  
**Skytterheia 25**  
**N-4790 Lillesand - Norway**

declare under sole responsibility that the product

**Luminaire**  
\_\_\_\_\_  
Type  
**Junistar Eco Isosafe**  
\_\_\_\_\_  
Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i>  Electromagnetic compatibility (EMC)	<i>Directive 2014 / 35 / EU</i>  Low Voltage directive (LVD)	<i>Directive 2009 / 125 / EF</i>  (Regs 244/2009, 245/2009, 347/2010)*  Ecodesign requirements (ECO) <small>* As applicable and including amendments</small>
--	--	---

*RoHS 2011 / 65 / EU + RoHS III / EU 2015/863*

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

- EN 60598-1:2021+A11:2022** (Luminaires - General requirements)
- EN 60598-2-2:2012** (Luminaires - Recessed)
- EN 62471:2008** (Luminaires – Photobiological safety of lamps and lamp systems)
- EN 62493:2015** (EMF – Lighting equipment related to human exposure)
- EN 55015:2019+A11:2020** (EMC - Radio disturbance)
- EN 61000-3-2:2019** (EMC - Harmonics)
- EN 61000-3-3:2013+A1:2019** (EMC – Voltage change, fluctuation & flicker)
- EN 61547:2009** (EMC - Immunity)
- EN 1365-2:2024** (Fire resistance tests for loadbearing elements)
- EN 1363-1:2020** (Time-temperature curve for a period of 60 minutes loadbearing condition)

CE declaration date: 2026

Statement of Conformity

issued by SG Armaturen AS

**Manufacturer**  
Lillesand, 12/01-2026  
Place and date of issue

Martin Etrup  
Approval Engineer  
Name of authorized person

Signature of authorized person



# UKCA – Declaration of Conformity

Document: CE260112A\_Junistar Eco IsoSafe  
Product Inspection: PI260109A  
Risk Assessment: RA250306A  
Test report: SDFS2407004763FR-01

We, **SG Armaturen AS**  
**Skytterheia 25**  
**N-4790 Lillesand - Norway**

declare under sole responsibility that the product

**Luminaire**

Type

**Junistar Eco Isosafe**

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

- EN 60598-1:2021+A11:2022** (Luminaires - General requirements)
- EN 60598-2-2:2012** (Luminaires - Recessed)
- EN 62471:2008** (Luminaires – Photobiological safety of lamps and lamp systems)
- EN 62493:2015** (EMF – Lighting equipment related to human exposure)
- EN 55015:2019+A11:2020** (EMC - Radio disturbance)
- EN 61000-3-2:2019** (EMC - Harmonics)
- EN 61000-3-3:2013+A1:2019** (EMC – Voltage change, fluctuation & flicker)
- EN 61547:2009** (EMC - Immunity)
- UK SI 2021 No. 1095** (Luminaires – The Ecodesign for Energy-Related products and Energy Information)
- EN 1365-2:2024** (Fire resistance tests for loadbearing elements)
- EN 1363-1:2020** (Time-temperature curve for a period of 60 minutes loadbearing condition)

UKCA declaration date: 2026

Statement of Conformity

issued by SG Armaturen AS

**Manufacturer**  
Lillesand, 12/01-2026  
Place and date of issue

Martin Ettrup  
Approval Engineer  
Name of authorized person

Signature of authorized person



Declaration of Conformity statements/valid for the following products:

<b>Product ID Number</b>	<b>Product Description</b>	<b>Article type</b>	<b>Article group</b>
7021989052166	Junistar ECO Isosafe Black 580lm	2700K Ra>90 dimming	700861
7021989052173	Junistar ECO Isosafe Black DTW 470lm	2000-2800K Ra>95 dimming	700861
7021989052159	Junistar ECO Isosafe White DTW 510lm	2000-2800K Ra>95 dimming	700861
7021989052135	Junistar ECO Isosafe White 580lm	2700K Ra>90 dimming	700861
7021989052142	Junistar ECO Isosafe White 600lm	3000K Ra>90 dimming	700861
7021989052180	Junistar ECO Isosafe White 580lm	2700K Ra>90	700861
7021989052197	Junistar ECO Isosafe White 590lm	3000K Ra>90	700861
7021989052203	Junistar ECO Isosafe 1-pack White DTW	2000-2800K dimming	700861
7021989052227	Junistar ECO Isosafe 1-pack Black DTW	2000-2800K dimming	700861
7021989052210	Junistar ECO Isosafe Black 580lm	2700K Ra>90	700861
7021989052265	Junistar ECO Isosafe Black DTW	2000-2800K DALI-2	700861
7021989052432	Junistar ECO Isosafe Brushed steel 550lm	3000K Ra>90 dimming	700861
7021989052326	Junistar ECO Isosafe Black 580lm	2700K Ra>90 DALI-2	700861
7021989052425	Junistar ECO Isosafe White DTW	DALI-2	700861
7021989052463	Junistar ECO Isosafe White 590lm	3000K Ra>90 DALI-2	700861
7021989052319	Junistar ECO Isosafe White 580lm	2700K Ra>90 DALI-2	700861
7021989052241	Junistar ECO Isosafe Black 590lm	3000K Ra>90 dimming	700861