



CE – Declaration of Conformity

Document: CE-UKCA251117C_Sense Surface Connect
Product Inspection: PI251114A
Risk Assessment: RA241126A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Sense Surface Connect

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i> Electromagnetic compatibility (EMC)	<i>Directive 2014 / 35 / EU</i> Low Voltage directive (LVD)	<i>Directive 2009 / 125 / EF</i> (Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) <small>* As applicable and including amendments</small>
--	--	---

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863 + RoHS 2022/284

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 60598-2-22:2022	(Luminaires – emergency lighting)
EN 62722-1:2022	(Luminaire performance - General requirements)
EN 62722-2-1:2023	(Luminaire performance - Particular requirements)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)


CE declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 17/11-2025
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person


Signature of authorized person



UKCA – Declaration of Conformity

Document: CE-UKCA251117C_Sense Surface Connect
Product Inspection: PI251114A
Risk Assessment: RA241126A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Sense Surface Connect

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 60598-2-22:2022	(Luminaires – emergency lighting)
EN 62722-1:2022	(Luminaire performance - General requirements)
EN 62722-2-1:2023	(Luminaire performance - Particular requirements)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS

Manufacturer

Lillesand, 17/11-2025

Place and date of issue

Martin Ettrup

Approval Engineer

Name of authorized person

Signature of authorized person



Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021982123535	Sense Surface Connect 600x600 White 3640lm	3000K Ra>80 Connect	703085
7021982123542	Sense Surface Connect 300x1200 White 3790lm	3000K Ra>80 Connect	703085
7021982123559	Sense Surface Connect 600x600 White 3870lm	4000K Ra>80 Connect	703085
7021982123566	Sense Surface Connect 300x1200 White 3980lm	4000K Ra>80 Connect	703085