

Facet II TW





Facet II is a slim, minimalistic luminaire with white powdercoating. With the direct/indirect light and glare-free optics in PMMA it is perfect for classrooms or open offices where light comfort is very important. The wall bracket (accessory) makes it a perfect choice for blackboard lighting. Plug-and-play solution for quick installation. Tunable White from 2700 Kelvin to 6500 Kelvin white light, controlled by TW LEDDim or Dali Type 8.

Facet II TW



Produkt- og miljøbilleder



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 5703821173988 Facet II TW 1200 Hvid 4530lm 2700-6500K Ra>80 TW DALI Type 8 39W LED 116 lm/W SDCM:3 L80/B10>100.000, L94>50.000 Direkte/Indirekte 65/35%, Linse C, prismatisk conical	Klasse I IP20	TW DALI Type 8	Nedhængt, Indoor 2x2m wire sæt m/løkke M4 Kabel 5x0,75mm ² 2,5m hvid	L1196 x W112 x H80
 5703821177689 Facet II TW 1200 Hvid 4674lm (@6500K) 2700-6500K Ra>80 TW LEDDim 38W LED 123 lm/W SDCM:3 L80/B10>100.000, L94>50.000 Direkte/Indirekte 65/35%, Linse C, prismatisk conical	Klasse I IP20	TW LEDDim	Nedhængt, Indoor 2x2m wire sæt Kabel 3x0,75mm ² 2,5m m/Schuko hvid	L1196 x W112 x H80
Tilbehør				
 7021982122552 T-profil Hvid Ophængsskinne 600mm				L596 x W35 x H17
 5703821172479 Facet II Hvid Vægbeslag kit				L490 x W70 x H70