



Design: F Mark Recessed or surface-mounted using accessories, low profile 35 mm height, direct LED luminaire, 592x592 mm for mounting in visible T-rail ceilings or 599x599 mm for concealed ceiling systems. With unique energy efficiency (up to 112 lm/W), collimated TIR optics with angled illuminated edge made of sheet steel. Precise low unified glare rating (UGR)

Molior Line



Produkt- og miljøbilleder



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 5703821174923 Molior Line 599x599 Hvid 3440lm 3000K Ra>80 32W LED 108 lm/W SDCM:3 L90/B10>50.000 Direkte, R-Linse Klar	Klasse III IP20		Indbygget, Indoor	L599 x W599 x H100
 5703821175524 Molior Line 599x599 Hvid 1520lm 3000K Ra>80 14W LED 109 lm/W SDCM:3 L90/B10>50.000 Direkte, R-Linse Klar	Klasse III IP20		Indbygget, Indoor	L599 x W599 x H100
 5703821174930 Molior Line 599x599 Hvid 1580lm 4000K Ra>80 14W LED 113 lm/W SDCM:3 L90/B10>50.000 Direkte, R-Linse Klar	Klasse III IP20		Indbygget, Indoor	L599 x W599 x H100
 5703821175425 Molior Line 599x599 Hvid 3580lm 4000K Ra>80 32W LED 112 lm/W SDCM:3 L90/B10>50.000 Direkte, R-Linse Klar	Klasse III IP20		Indbygget, Indoor	L599 x W599 x H100
 5703821175517 Molior Line 599x599 Hvid 1580lm 4000K Ra>80 14W LED 113 lm/W SDCM:3 L90/B10>50.000 Direkte, R-Linse Klar	Klasse III IP20		Indbygget, Indoor	L599 x W599 x H100
Driver				
 7021988200834 Sense Driver Hvid 3000lm 25W 700mA DALI-2 / Push Dim 25W 100.000	Klasse II IP20	DALI-2 / Push Dim	Indbygget, Indoor 5 pol Linect / klemmerække	L124 x W79 x H22

Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 5703821174985 Molior Line 1 Line / 1 Corner 14W 300mA On/Off				
 5703821175692 Molior Line 2 Line / 4 Corner 36W 700mA On/Off				L125 x H35
Tilbehør				
 5703821178815 Sense 600x600 Hvid Gipsloft/Troldtekt Indbygningsramme				L640 x W640 x H40
 5703821177344 Nødlysboks Driver DALI / EM Selvtest, DALI Nødlys 3 timer				L270 x W75 x H35
 5703821177276 Nødlysboks On-Off/Bagkantsdæmp / EM Selvtest, Nødlys 3 timer				L270 x W75 x H35
 5703821177504 Nødlysboks Driver DALI / EM DALI/Selvtest, Nødlys 3 timer				L270 x W75 x H35