



Attractive, square wall luminaire for horizontal/vertical installation and indoors/outdoors. Made of die-cast powder-coated aluminium. Glass diffuser. Can be mounted as a downlight or as an uplight, IP65, integrated LED, mounting back panel with two inputs/outputs for cables, option of both visible and concealed cabling, and loopable quick clips. IP65 and vandal-resistant rating IK06.

Edge Direct



Produkt- og miljøbilleder



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 7021986113556 Edge Direct Sort 550lm 2700K Ra>80 Bagkantsdæmp 7W LED 79 lm/W SDCM:3 L90/B10>50.000, L80/B10>100.000 Direkte, Glas mat	Klasse I IP65 IK06	Bagkantsdæmp	Påbygget, Indoor / Outdoor Klemmerække	W320 x H60 x D103
 7021986113570 Edge Direct Grafit 550lm 2700K Ra>80 Bagkantsdæmp 7W LED 79 lm/W SDCM:3 L90/B10>50.000, L80/B10>100.000 Direkte, Glas mat	Klasse I IP65 IK06	Bagkantsdæmp	Påbygget, Indoor / Outdoor Klemmerække	W320 x H60 x D103
 7021986113532 Edge Direct Hvid 550lm 2700K Ra>80 Bagkantsdæmp 7W LED 79 lm/W SDCM:3 L90/B10>50.000, L80/B10>100.000 Direkte, Glas mat	Klasse I IP65 IK06	Bagkantsdæmp	Påbygget, Indoor / Outdoor Klemmerække	W320 x H60 x D103
 7021986113563 Edge Direct Sort 570lm 3000K Ra>80 Bagkantsdæmp 7W LED 81 lm/W SDCM:3 L90/B10>50.000, L80/B10>100.000 Direkte, Glas mat	Klasse I IP65 IK06	Bagkantsdæmp	Påbygget, Indoor / Outdoor Klemmerække	W320 x H60 x D103
 7021986113587 Edge Direct Grafit 570lm 3000K Ra>80 Bagkantsdæmp 7W LED 81 lm/W SDCM:3 L90/B10>50.000, L80/B10>100.000 Direkte, Glas mat	Klasse I IP65 IK06	Bagkantsdæmp	Påbygget, Indoor / Outdoor Klemmerække	W320 x H60 x D103
 7021986113549 Edge Direct Hvid 570lm 3000K Ra>80 Bagkantsdæmp 7W LED 81 lm/W SDCM:3 L90/B10>50.000, L80/B10>100.000 Direkte, Glas mat	Klasse I IP65 IK06	Bagkantsdæmp	Påbygget, Indoor / Outdoor Klemmerække	W320 x H60 x D103

Varenr.



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 7021986000023 Nummerskilt 320x271mm			Indoor / Outdoor	L320 x W271 x H10