

Lyskilder GU10



Dæmpbar GU10 LED-lyskilde med 5 års systemgaranti ved brug sammen med SG-armatur.

Lyskilder GU10



Produkt- og miljøbilleder



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 7021988309841 GU10 Børstet stål DimToWarm 345lm 2000-2800K Ra>90 6W LED 58 lm/W SDCM:3 L70/B50>50.000 Beam: 36°, Direkte,		Bagkantsdæmp		L55 x W50 x H50
 7021988309834 GU10 Hvid DimToWarm 345lm 2000-2800K Ra>90 6W LED 58 lm/W SDCM:3 L70/B50>50.000 Beam: 36°, Direkte,		Bagkantsdæmp		L55 x W50 x H50
 7021988309629 GU10 Børstet stål 360lm 2700K Ra>90 6W LED 60 lm/W SDCM:2 L70/B50>50.000 Beam: 32°, Direkte,		Bagkantsdæmp		L55 x W50 x H50
 7021988309568 GU10 Hvid 250lm 2700K Ra>80 4.5W LED 56 lm/W SDCM:4 L70/B50>40.000 Beam: 36°, Direkte,		Bagkantsdæmp		L55 x W50 x H50
 7021988309605 GU10 Hvid 360lm 2700K Ra>90 6W LED 60 lm/W SDCM:2 L70/B50>50.000 Beam: 36°, Direkte,		Bagkantsdæmp		L55 x W50 x H50
 7021988309858 GU10 Hvid 270lm 2700K Ra>80 3W LED 90 lm/W SDCM:4 L70/B50>25.000 Beam: 36°, Direkte,		Bagkantsdæmp		L50 x W50 x H55
 7021988309612 GU10 Hvid 375lm 3000K Ra>90 6W LED 63 lm/W SDCM:2 L70/B50>50.000 Beam: 36°, Direkte,		Bagkantsdæmp		L55 x W50 x H50