

Sense Eco Opalprism




The Sense Eco panel is well designed and only 10 mm high. A narrow frame ensures attractive look and high efficiency. Sense can be mounted to visible T-rail ceilings without accessories and to concealed T-rail ceilings, DAMPA clip-in ceilings, Trolldtekt acoustic panels and Gypsum, and surface-mounted using accessories. This makes Sense an all-round quality panel that can be used everywhere. Sense is available with phase-dimming or DALI depending on which driver kit is selected (accessory).


Sense Eco Opalprism



Produkt- og miljøbilleder



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 7021982122224 Sense ECO 600x600 Hvid Opalprismatisk 3000K Ra>80 LED SDCM:3 L80/B20>50.000, L90>50.000 Beam: 110°, Direkte, Opalprismatisk	Klasse III IP40/IP20 IK10		Indbygget, Indoor Quick connector	L595 x W595 x H10
 7021982122231 Sense ECO 600x600 Hvid Opalprismatisk 4000K Ra>80 LED SDCM:3 L80/B20>50.000, L90>50.000 Beam: 110°, Direkte, Opalprismatisk	Klasse III IP40/IP20 IK10		Indbygget, Indoor Quick connector	L595 x W595 x H10
Driver				
 7021988200834 Sense Driver Hvid 3000lm 25W 700mA DALI-2 / Push Dim 25W 100.000	Klasse II IP20	DALI-2 / Push Dim	Indbygget, Indoor 5 pol Linect / klemmerække	L124 x W79 x H22
 7021988204900 Sense Driver Hvid 3000lm 25W 700mA Bagkantsdæmp 25W 100.000	Klasse II IP20	Bagkantsdæmp	Indbygget, Indoor Kabel 2m Inkl. ledning og prop	L108 x W53 x H30
 7021988204917 Sense Driver Hvid 3000lm 25W 700mA Bagkantsdæmp / Linect 25W 100.000	Klasse II IP20	Bagkantsdæmp / Linect	Indbygget, Indoor 3 pol Linect / klemmerække	L108 x W53 x H30
Tilbehør				
 7021982122569 Sense 600x600 Hvid Påbygningsramme				L604 x W604 x H48
 7021988204894 Sensor Dim Box Hvid 200VA				L220 x W75 x H34

Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
	5703821178815			L640 x W640 x H40
	Sense 600x600 Hvid Gipsloft/Troldtekt Indbygningsramme			
	5703821177344			L270 x W75 x H35
	Nødlisboks Driver DALI / EM Selvtest, DALI Nødlis 3 timer			
	7021982121708			L2000
	Sense 2m Wiresæt			
	7021982121760			L44 x W65 x H18
	Sense 600x600 Skjult Skinne Beslag			
	7021982121777			L44 x W5 x H2.5
	Sense 600x600 Asymmetrisk Beslag			
	5703821177276			L270 x W75 x H35
	Nødlisboks On-Off/Bagkantsdæmp / EM Selvtest, Nødlis 3 timer			
	5703821177504			L270 x W75 x H35
	Nødlisboks Driver DALI / EM DALI/Selvtest, Nødlis 3 timer			
	5703821178525			L440 x W33 x H52
	Sense 600x600 DAMPA Clip-In Beslag			
	5703821180122 			L440 x W90 x H32
	Sense 600x600 Plan Forsenking Troldtek Beslag			

 = Denne artikel produceres efter ordre, med en forventet leveringstid på 3-4 uger.