



Hovden is a premium range of garden spots for creating outdoor lighting environments. It is made of sturdy machined aluminum, powder coated. Comes with a bracket that can be fixed to wall or ground, or to a ground spear. The head can be rotated 360 degrees, allowing for flexible installation. Plug and play, delivered with 2 meter outdoor cable and plug. Waterproof IP67. Phase-cut dimmable. The reflector provides 15 and 36-degree beam angle for spot or flood effects. Additional anti-glare visors are available.

Produkt- og miljøbilleder



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 7021986300789 Hovden Corten Mini 550lm 2700K Ra>80 Bagkantsdæmp 8W LED 69 lm/W SDCM:3 L70/B10>100.000 Beam: 36°, Direkte, Linse	Klasse I IP67	Bagkantsdæmp	Påbygget, Outdoor Kabel 2m Inkl. ledning og prop	L95 x W46 x H100
 7021986300819 Hovden Corten Micro 230lm 2700K Ra>80 Bagkantsdæmp 4W LED 58 lm/W SDCM:3 L70/B10>100.000 Beam: 36°, Direkte, Linse	Klasse I IP67	Bagkantsdæmp	Påbygget, Outdoor Kabel 2m Inkl. ledning og prop	L82 x W36 x H85
 7021986300628 Hovden Grafit Micro 230lm 2700K Ra>80 Bagkantsdæmp 4W LED 58 lm/W SDCM:3 L70/B10>100.000 Beam: 36°, Direkte, Linse	Klasse I IP67	Bagkantsdæmp	Påbygget, Outdoor Kabel 2m Inkl. ledning og prop	L82 x W36 x H85
 7021986300635 Hovden Grafit Mini 570lm 2700K Ra>80 Bagkantsdæmp 8W LED 71 lm/W SDCM:3 L70/B10>100.000 Beam: 36°, Direkte, Linse	Klasse I IP67	Bagkantsdæmp	Påbygget, Outdoor Kabel 2m Inkl. ledning og prop	L90 x W46 x H100
 7021986300796 Hovden Corten Mini 550lm 3000K Ra>80 Bagkantsdæmp 8W LED 69 lm/W SDCM:3 L70/B10>100.000 Beam: 36°, Direkte, Linse	Klasse I IP67	Bagkantsdæmp	Påbygget, Outdoor Kabel 2m Inkl. ledning og prop	L95 x W46 x H100
 7021986300802 Hovden Corten Midi 1140lm 3000K Ra>80 Bagkantsdæmp 12W LED 95 lm/W SDCM:3 L70/B10>100.000 Beam: 36°, Direkte, Linse	Klasse I IP67	Bagkantsdæmp	Påbygget, Outdoor Kabel 2m Inkl. ledning og prop	L100 x W61 x H116

Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 7021986300826 Hovden Corten Micro 250lm 3000K Ra>80 Bagkantsdæmp 4W LED 63 lm/W SDCM:3 L70/B10>100.000 Beam: 36°, Direkte, Linse	Klasse I IP67	Bagkantsdæmp	Påbygget, Outdoor Kabel 2m Inkl. ledning og prop	L82 x W36 x H85
 7021986300000 Hovden Grafit Mini 540lm 3000K Ra>80 Bagkantsdæmp 8W LED 68 lm/W SDCM:3 L70/B10>100.000 Beam: 15°, Direkte, Linse	Klasse I IP67	Bagkantsdæmp	Påbygget, Outdoor Kabel 2m Inkl. ledning og prop	L95 x W46 x H100
 7021986300017 Hovden Grafit Mini 550lm 3000K Ra>80 Bagkantsdæmp 8W LED 69 lm/W SDCM:3 L70/B10>100.000 Beam: 36°, Direkte, Linse	Klasse I IP67	Bagkantsdæmp	Påbygget, Outdoor Kabel 2m Inkl. ledning og prop	L95 x W46 x H100
 7021986300048 Hovden Grafit Midi 1060lm 3000K Ra>80 Bagkantsdæmp 12W LED 88 lm/W SDCM:3 L70/B10>100.000 Beam: 15°, Direkte, Linse	Klasse I IP67	Bagkantsdæmp	Påbygget, Outdoor Kabel 2m Inkl. ledning og prop	L100 x W61 x H116
 7021986300055 Hovden Grafit Midi 1140lm 3000K Ra>80 Bagkantsdæmp 12W LED 95 lm/W SDCM:3 L70/B10>100.000 Beam: 36°, Direkte, Linse	Klasse I IP67	Bagkantsdæmp	Påbygget, Outdoor Kabel 2m Inkl. ledning og prop	L100 x W61 x H116
 7021986300086 Hovden Grafit Maxi 2010lm 3000K Ra>80 Bagkantsdæmp 23W LED 87 lm/W SDCM:3 L70/B10>100.000 Beam: 15°, Direkte, Linse	Klasse I IP67	Bagkantsdæmp	Påbygget, Outdoor Kabel 2m Inkl. ledning og prop	L150 x W89 x H147

Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 7021986300093 Hovden Grafit Maxi 2010lm 3000K Ra>80 Bagkantsdæmp 23W LED 87 lm/W SDCM:3 L70/B10>100.000 Beam: 36°, Direkte, Linse	Klasse I IP67	Bagkantsdæmp	Påbygget, Outdoor Kabel 2m Inkl. ledning og prop	L150 x W89 x H147
 7021986300482 Hovden Grafit Micro 250lm 3000K Ra>80 Bagkantsdæmp 4W LED 63 lm/W SDCM:3 L70/B10>100.000 Beam: 36°, Direkte, Linse	Klasse I IP67	Bagkantsdæmp	Påbygget, Outdoor Kabel 2m Inkl. ledning og prop	L82 x W36 x H85
Tilbehør				
 7021987874012 Gelbox-I Sort Konnektor				L135 x W48 x H30
 7021987874111 Gelbox-Y Sort Konnektor				L148 x W86 x H30
 7021986300970 Hovden Corten Mini Afskærmning				L50 x W50 x H50
 7021986300987 Hovden Corten Midi Afskærmning				L65 x W65 x H65
 7021986301007 Hovden Corten Micro Afskærmning				L42 x W38 x H42
 7021986300260 Hovden Grafit Jordspyd				L207 x W44 x H207
 7021986300277 Hovden Grafit Mini Visir				L50 x W50 x H50
 7021986300284 Hovden Grafit Midi Visir				L65 x W65 x H65

Varenr.



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 7021986300291 Hovden Grafite Maxi Visir				L93 x W83 x H93
 7021986300581 Hovden Grafite Micro Visir				L42 x W38 x H42