

Disc 285x285 TW




Energy efficient surface-mounted LED luminaire with a slim profile ensuring a modern look. Square and round available in multiple sizes and lumens. Opalprismatic diffuser provides a glare-free light. The luminaire is produced in a matt black or white powder-coated aluminium finish. Simple installation with quick connections between fixture and back plate that can be screwed straight onto all known ceiling boxes. Visible cabling also possible. Tunable White 2700-6500K LEDDim.

Disc 285x285 TW



Produkt- og miljøbilleder



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 7021986060799 Disc 285X285 TW Sort 1740lm (@6500K) 2700-6500K Ra>80 TW LEDDim 19W LED 92 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 85°, Direkte, Opalprismatisk	Klasse II IP20 IK10	TW LEDDim	Påbygget, Indoor Klemmerække	L283 x W283 x H55
 7021986060621 Disc 285X285 TW Hvid 1890lm (@6500K) 2700-6500K Ra>80 TW LEDDim 19W LED 99 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 85°, Direkte, Opalprismatisk	Klasse II IP20 IK10	TW LEDDim	Påbygget, Indoor Klemmerække	L283 x W283 x H55
Tilbehør				
 7021986060959 Disc/Frosta Sort Pendel Adapter				L5000 x W102 x H22
 7021986060942 Disc/Frosta Hvid Pendel Adapter				L5000 x W102 x H22