

Disc 290 TW



Energy efficient surface-mounted LED luminaire with a slim profile ensuring a modern look. Square and round available in multiple sizes and lumens. Opalprismatic diffuser provides a glare-free light. The luminaire is produced in a matt black or white powder-coated aluminium finish. Simple installation with quick connections between fixture and back plate that can be screwed straight onto all known ceiling boxes. Visible cabling also possible. Tunable White LEDDim.

Disc 290 TW



Produkt- og miljøbilleder



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 7021986061192 Disc 290 TW Sort 1840lm (@4000K) 2000-4000K Ra>80 TW LEDDim 19W LED 97 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 85°, Direkte, Opalprismatisk	Klasse II IP20 IK10	TW LEDDim	Påbygget, Indoor Klemmerække	Ø288 x H55
 7021986061185 Disc 290 TW Hvid 1910lm (@4000K) 2000-4000K Ra>80 TW LEDDim 19W LED 101 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 85°, Direkte, Opalprismatisk	Klasse II IP20 IK10	TW LEDDim	Påbygget, Indoor Klemmerække	Ø288 x H55
 7021986060881 Disc 290 TW Sort 1740lm (@6500K) 2700-6500K Ra>80 TW DALI Type 8 17W LED 102 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 85°, Direkte, Opalprismatisk	Klasse II IP20 IK10	TW DALI Type 8	Påbygget, Indoor Klemmerække	Ø288 x H55
 7021986060898 Disc 290 TW Sort 1740lm (@6500K) 2700-6500K Ra>80 TW LEDDim 19W LED 92 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 85°, Direkte, Opalprismatisk	Klasse II IP20 IK10	TW LEDDim	Påbygget, Indoor Klemmerække	Ø288 x H55
 7021986060867 Disc 290 TW Hvid 1890lm (@6500K) 2700-6500K Ra>80 TW DALI Type 8 17W LED 111 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 85°, Direkte, Opalprismatisk	Klasse II IP20 IK10	TW DALI Type 8	Påbygget, Indoor Klemmerække	Ø288 x H55
 7021986060874 Disc 290 TW Hvid 1890lm (@6500K) 2700-6500K Ra>80 TW LEDDim 19W LED 99 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 85°, Direkte, Opalprismatisk	Klasse II IP20 IK10	TW LEDDim	Påbygget, Indoor Klemmerække	Ø288 x H55

Varenr.



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 7021986060959 Disc/Frosta Sort Pendel Adapter				L5000 x W102 x H22
 7021986060942 Disc/Frosta Hvid Pendel Adapter				L5000 x W102 x H22