



Powerful in-ground luminaires for decorative and functional lighting of facades, gardens, patios, stairs and walls. Approved for 2000 kg load. Nemo II comes in symmetric versions with deep black reflectors for very low glare, and asymmetric versions that directs the light toward a facade or a wall. Nemo Siriak gives a decorative light along patios and facades.

Nemo II / Siriak



Produkt- og miljøbilleder



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 7021986300703 Nemo II Mini 170lm 3000K Ra>80 Bagkantsdæmp 4W LED 43 lm/W SDCM:3 L80/B20>50.000 Beam: 32°, Direkte, Linse	Klasse I IP67 IK10	Bagkantsdæmp	Indbygget, Indoor / Outdoor Kabel 1m	Ø110 x H100
 7021986300710 Nemo II Mini Asymmetrisk 160lm 3000K Ra>80 Bagkantsdæmp 4W LED 40 lm/W SDCM:3 L80/B20>50.000 Asymmetrisk, Linse	Klasse I IP67 IK10	Bagkantsdæmp	Indbygget, Indoor / Outdoor Kabel 1m	Ø110 x H100
 7021986300727 Nemo II Midi 460lm 3000K Ra>80 Bagkantsdæmp 9W LED 51 lm/W SDCM:3 L80/B20>50.000 Beam: 32°, Direkte, Linse	Klasse I IP67 IK10	Bagkantsdæmp	Indbygget, Indoor / Outdoor Kabel 1m	Ø130 x H110
 7021986300734 Nemo II Midi Asymmetrisk 430lm 3000K Ra>80 Bagkantsdæmp 9W LED 48 lm/W SDCM:3 L80/B20>50.000 Asymmetrisk, Linse	Klasse I IP67 IK10	Bagkantsdæmp	Indbygget, Indoor / Outdoor Kabel 1m	Ø130 x H110
 7021986300758 Nemo Siriak 24lm 3000K Ra>80 Bagkantsdæmp 4W LED 6 lm/W SDCM:3 L80/B20>50.000 Direkte, Linse	Klasse I IP67 IK10	Bagkantsdæmp	Indbygget, Indoor / Outdoor Kabel 1m	Ø110 x H100