

Rax Soft 150 TW




Rax Soft TW is a high-performance downlight for lighting in public buildings, offices, corridors etc with an excellent light control by a combination of optimized lens and reflector optics. Available with satin matt reflector for high efficiency. Rax Soft TW is installed easily with springs that fit ceiling panels with a thickness of 1–50 mm. Tunable White 2700-6500K LED Dim or DALI Type 8.

Rax Soft 150 TW




Produkt- og miljøbilleder



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 7021982125751 Rax Soft 150 Satin 2700-6500K Ra>80 TW DALI Type 8 28W LED 93 lm/W SDCM:3 L90/B10>100.000 Beam: 68°, Direkte, Satin Matt Reflector	Klasse II SELV IP54/IP20 IK08	TW DALI Type 8	Indbygget, Indoor 5 pol Linect / klemmerække	Ø166 x H83
 7021982125744 Rax Soft 150 Satin TW LEDDim 2700-6500K Ra>80 TW LEDDim 28W LED 93 lm/W SDCM:3 L90/B10>100.000 Beam: 68°, Direkte, Satin Matt Reflector	Klasse II SELV IP54/IP20 IK08	TW LEDDim	Indbygget, Indoor 3 pol Linect / klemmerække	Ø166 x H83
Tilbehør				
 7021982126178 Rax 150 Sort Rehabring Ø155-200mm				Ø220 x H16
 7021982126215 Rax 150 Sort Glas klar IP44				Ø168 x H12
 7021982126239 Rax 150 Sort Glas mat IP44				Ø168 x H12
 7021982126208 Rax 150 Hvid Glas klar IP44				Ø168 x H12
 7021982126222 Rax 150 Hvid Glas mat IP44				Ø168 x H12
 5703821176545 Rax 150 Hvid Rehabring Ø155-200mm				Ø220 x H16
 7021989001096 Avlastningsplate Aflastningsplade				L400 x W400 x H1

Varenr.



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 5703821005753 Rax 150 Monteringsplade				L585 x W260 x H15