


Disc 760



Disc 760 is suitable for large rooms, foyers, meeting rooms, restaurants, etc. Energy-efficient surface LED luminaires with a slim profile for a contemporary look. The Opalprismatic diffuser provides uniform light with low glare, UGR

Produkt- og miljøbilleder



Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 7021986061789 Disc 760 Sort 6230/6330lm 2700/3000K Ra>80 DALI-2 / Push Dim 55W LED 113 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 83°, Direkte, Opalprismatisk	Klasse II IP20 IK10	DALI-2 / Push Dim	Påbygget, Indoor Klemmerække	Ø760 x H55
 7021986061772 Disc 760 Hvid 6910/7130lm 2700/3000K Ra>80 DALI-2 / Push Dim 55W LED 126 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 88°, Direkte, Opalprismatisk	Klasse II IP20 IK10	DALI-2 / Push Dim	Påbygget, Indoor Klemmerække	Ø760 x H55
 7021986061338 Disc 760 Sort 7360lm 4000K Ra>80 DALI-2 / Push Dim 64W LED 115 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 83°, Direkte, Opalprismatisk	Klasse II IP20 IK10	DALI-2 / Push Dim	Påbygget, Indoor Klemmerække	Ø760 x H55
 7021986061314 Disc 760 Hvid 7540lm 4000K Ra>80 DALI-2 / Push Dim 64W LED 118 lm/W SDCM:3 L80/B20>100.000, L90>50.000 Beam: 88°, Direkte, Opalprismatisk	Klasse II IP20 IK10	DALI-2 / Push Dim	Påbygget, Indoor Klemmerække	Ø760 x H55
Tilbehør				
 7021986161137 Disc 760 Sort Pendelkit				L5000 x W102 x H22
 7021986161120 Disc 760 Hvid Pendelkit				L5000 x W102 x H22
 7021982122347 Sense Surface/Disc 760 2m Wiresæt				L2000