

# Arena Eco Connect




Arena Eco Connect is an energy-efficient and practical LED luminaire for warehouses and industrial environments, featuring an integrated SG Connect sensor for smart and energy-saving lighting control. The sensor switches the light on when motion is detected and off after a defined time period, ensuring significant energy savings. It also includes a built-in daylight sensor that can be activated to maintain the desired light level at all times. Arena Eco Connect is available with two sensor variants: Low-Bay for mounting heights up to 5 meters and Mid-Bay for heights up to 12 meters, ensuring optimal detection regardless of installation height. Configuration is simple via the SG Connect Commissioning App, and the luminaire can be used as a standalone unit or as part of a larger system that can easily be expanded or reconfigured as needed. Arena Eco Connect combines high performance with easy installation. It features a hinged component box for quick mounting and can be installed directly on the ceiling with screws or using mounting hooks for horizontal wires. Pre-installed through-wiring and cable entry at both ends make installation even more efficient.

# Arena Eco Connect




## Produkt- og miljøbilleder





Vedrørende stregtegningsdimensioner henvises til hver enkelt varekode på næste side

Artikel	Beskyttelse	Styring	Montering/Tilslutning	Dimensioner
 <p>7021986070262</p> <p><b>Arena Eco Connect Low-Bay 1500</b></p> <p><b>Grå Wide 10960lm 4000K Ra&gt;80</b></p> <p><b>Connect</b></p> <p><b>76W LED</b></p> <p>144 lm/W SDCM:3</p> <p>L80/B20&gt;100.000, L90&gt;50.000</p> <p>Beam: 90°, Direkte, Linse</p>	<p><b>Klasse I</b></p> <p><b>IP20</b></p>	<p>Connect</p>	<p>Påbygget, Indoor</p> <p>5-polet klemrække med 5 x 2,5 mm<sup>2</sup> gennemfortrådning</p>	<p>L1552 x W134 x H72</p>