








Illusion Soft LED has a unique design aesthetics with a high performance micro-prism lens, combined with dedicated contrast reduction panels to ensure optimum light control and a uniformly lit, dynamic environment

## Product- and environment images



Article	Protection	Control gear	Mounting/Connection	Dimensions
<b>4000K</b>				
 8246086194 • <b>Illusion Soft LED 600x600 3790lm</b> <b>4000K Ra&gt;80 DALI-2</b> <b>30W LED</b> 126 lm/W SDCM:3 L80/B10>60,000 Direct, Opalprism	<b>Class I</b> <b>IP20</b>	DALI-2	Recessed, Indoor 5 pol Winsta / Terminal block	L595 x W595 x H126
 8246086217 • <b>Illusion Soft LED 600x600 3790lm</b> <b>4000K Ra&gt;80 DALI Emergency 3H</b> <b>30W LED</b> 126 lm/W SDCM:3 L80/B10>60,000 Direct, Opalprism	<b>Class I</b> <b>IP20</b>	DALI Emergency 3H	Recessed, Indoor 5 pol Winsta / Terminal block	L595 x W595 x H126
<b>Others</b>				
 820307 <b>Emergency battery 3 Hours 3.0Ah -</b> <b>Model No: B093</b>				L137 x W27 x H27
 8249044560 • <b>Surface frame 600x600 White</b>			Indoor	
<b>Accessories</b>				
 8249044557 <b>625x625 White Plaster board/Troldtekt Recessed frame Sheet steel</b>				L625 x W625 x H55

• = This article is produced by order, with an expected delivery time of 3-4 weeks.