

Sense 320 DALI



General lighting luminaire for ShopLine DALI three-phase track systems. It can even be used with other track systems that fits Global DALI adapters. Stylish, thin disc, with opal prismatic front, directing the light and securing low glare. The driver is Integrated in the track adapter.

Sense 320 DALI



Galerie de produits et d'environnements



Article	Protection	Convertisseurs	Montage/Connexion	Dimensions
 212388 Sense 320 3-Allumages Noir 3160lm 3000K Ra>80 DALI-2 27W LED 117 lm/W SDCM:3 L80/B20>100,000 Beam: 85°, Directe, Opale	Classe II SELV IP40/IP20	DALI-2	Surface, Indoor Rail ShopLine DALI (adaptateur inclus)	Ø320 x H100
 212384 Sense 320 3-Allumages Blanc 3390lm 3000K Ra>80 DALI-2 27W LED 126 lm/W SDCM:3 L80/B20>100,000 Beam: 85°, Directe, Opale	Classe II SELV IP40/IP20	DALI-2	Surface, Indoor Rail ShopLine DALI (adaptateur inclus)	Ø320 x H100
 212389 Sense 320 3-Allumages Noir 3170lm 4000K Ra>80 DALI-2 27W LED 117 lm/W SDCM:3 L80/B20>100,000 Beam: 85°, Directe, Opale	Classe II SELV IP40/IP20	DALI-2	Surface, Indoor Rail ShopLine DALI (adaptateur inclus)	Ø320 x H100
 212385 Sense 320 3-Allumages Blanc 3460lm 4000K Ra>80 DALI-2 27W LED 128 lm/W SDCM:3 L80/B20>100,000 Beam: 85°, Directe, Opale	Classe II SELV IP40/IP20	DALI-2	Surface, Indoor Rail ShopLine DALI (adaptateur inclus)	Ø320 x H100