

CE – Declaration of Conformity

Document: CE-UKCA250128A_Sense Eco Opalprism
 Product Inspection: PI241203A
 Risk Assessment: RA24009C

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Sense Eco Opalprism

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i>	<i>Directive 2014 / 35 / EU</i>	<i>Directive 2009 / 125 / EF</i>
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	(Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) * As applicable and including amendments

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-2:2012	(Luminaires - Recessed)
EN 60598-2-22:2022	(Luminaires – emergency lighting)
EN 62722-1:2022	(Luminaire performance - General requirements)
EN 62722-2-1:2023	(Luminaire performance - Particular requirements)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)

CE declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS


Manufacturer

Lillesand, 28/01-2025
 Place and date of issue

Martin Ettrup

Approval Engineer

Name of authorized person


 Signature of authorized person

UKCA – Declaration of Conformity

Document: CE-UKCA250128A_Sense Eco Opalprism
 Product Inspection: PI241203A
 Risk Assessment: RA24009C

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Sense Eco Opalprism

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-2:2012	(Luminaires - Recessed)
EN 60598-2-22:2022	(Luminaires – emergency lighting)
EN 62722-1:2022	(Luminaire performance - General requirements)
EN 62722-2-1:2023	(Luminaire performance - Particular requirements)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS

Manufacturer

Lillesand, 28/01-2025
 Place and date of issue

Martin Ettrup

Approval Engineer

Name of authorized person


Signature of authorized person

Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021982122231	Sense ECO 600x600 White Opalprism	4000K Ra>80	701569
7021982122224	Sense ECO 600x600 White Opalprism	3000K Ra>80	701569
7021982122255	Sense ECO 300x1200 White Opalprism	4000K Ra>80	701584
7021982122248	Sense ECO 300x1200 White Opalprism	3000K Ra>80	701584

Drivers

7021988200834	Sense Driver White	3000lm 26W 700mA DALI / Push Dim
7021988204900	Sense Driver White	3000lm 26W 700mA Trailing edge dimming
7021988204917	Sense Driver White	3000lm 26W 700mA Trailing edge dimming

Emergencybox

5703821177344	Emergencybox Driver	DALI / EM Emergency 3 hours DALI
5703821177276	Emergencybox	On-Off/Trailing edge / EM Self test, Emergency 3h
5703821177504	Emergencybox Driver	DALI / EM DALI/Self test, Emergency 3 hours