



CE – Declaration of Conformity

Document: CE-UKCA251112A_Farsund Slim
Product Inspection: PI251110A
Risk Assessment: RA251107A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Farsund Slim

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i> Electromagnetic compatibility (EMC)	<i>Directive 2014 / 35 / EU</i> Low Voltage directive (LVD)	<i>Directive 2009 / 125 / EF</i> (Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) * As applicable and including amendments
--	--	---

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863 + RoHS 2022/284

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 62722-1:2022	(Luminaire performance - General requirements)
EN 62722-2-1:2023	(Luminaire performance - Particular requirements)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)


CE declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 12/11-2025
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person


Signature of authorized person



UKCA – Declaration of Conformity

Document: CE-UKCA251112A_Farsund Slim
Product Inspection: PI251110A
Risk Assessment: RA251107A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Farsund Slim

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 62722-1:2022	(Luminaire performance - General requirements)
EN 62722-2-1:2023	(Luminaire performance - Particular requirements)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS

Manufacturer

Lillesand, 12/11-2025
Place and date of issue

Martin Ettrup

Approval Engineer

Name of authorized person

Signature of authorized person



Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021981133092	Farsund Slim 300 Black 1670lm	2700K Ra>80 Trailing edge	703525
7021981133054	Farsund Slim 300 White 1820lm	4000K Ra>80 Trailing edge	703525
7021981133016	Farsund Slim 300 White	3000K Ra>80 Trailing edge	703525
7021981133115	Farsund Slim 300 Black 1780lm	4000K Ra>80 Trailing edge	703525
7021981133085	Farsund Slim 300 Black	4000K Ra>80 Trailing edge	703525
7021981133047	Farsund Slim 300 White 1760lm	3000K Ra>80 Trailing edge	703525
7021981133009	Farsund Slim 300 White	2700K Ra>80 Trailing edge	703525
7021981133108	Farsund Slim 300 Black 1710lm	3000K Ra>80 Trailing edge	703525
7021981133030	Farsund Slim 300 White	2700K Ra>80 Trailing edge	703525
7021981133023	Farsund Slim 300 White	4000K Ra>80 Trailing edge	703525
7021981133061	Farsund Slim 300 Black 880lm	2700K Ra>80 Trailing edge	703525
7021981133078	Farsund Slim 300 Black	3000K Ra>80 Trailing edge	703525