



IP44*

Ø83 mm




180mA, 34V, 6W


230V, 50/60Hz, SELV



48 mm





Ø94 mm



L x W x H

101 x 51 x 22 mm




✓ SG Multibox TEK
✓ SG Multibox


✓ SG Multibox mini
✓ SG Downlightbox

✓ SG Oddbox
✓ SG Sealbox

10 - 40 mm



Volume: Min.
4000 cm³ (4 L)




Volume: Min. 4000 cm³ (4 L)

Min.
50 mm


5 - 40 mm

0,5 - 1,0 mm²



8 mm

1,5 - 2,5 mm²




12 mm

Max. 16A

ca. 10° (max. 20°)


*

~~IP44~~



IP44

IP44



IP44




NO: Kan kun installeres av en registrert installasjonsvirksomhet

EN: Only to be installed by an authorized electrician


FR: Doit être installé par un électricien autorisé

NL: Mag alleen geïnstalleerd worden door een bevoegde elektricien

DE: Dieses Produkt darf nur durch autorisiertes Personal (z. B. Elektro-Installateur) angeschlossen und in Betrieb genommen werden



0,01m



CORPORATE OFFICE:
SG Armaturen AS
Svåbekk 15
4790 Lillesand
NORGE

Tlf: +47 37 50 03 00
 firmapost@sg-as.no
 www.sg-as.no

BRANCH OFFICE:
 SG Lighting SA/NV
 Blokhuysstraat 47
 2800 Mechelen Noord I
 BELGIQUE/BELGIË

Tlf: +32(0) 15 20 72 71
 info.benelux@sglighting.net
 www.sglighting.net

BRANCH OFFICE:
 SG Armaturen A/S
 Egebakken 19
 7400 Herning
 DANMARK

Tlf: +45 70 70 72 13
 info@sg-as.dk
 www.sg-as.dk

BRANCH OFFICE:
 SG Lighting SA/NV
 73 rue de Saint Mandrier
 83140 Six Fours Les Plages
 FRANCE

Tlf: +33(0) 4 94 93 00 00
 info.france@sglighting.fr
 www.sglighting.net

BRANCH OFFICE:
 SG Leuchten GmbH
 Postfach 67 04 21
 22344 Hamburg
 GERMANY

Tlf: +49 40 23 99 44 59
 info@sg-leuchten.de
 www.sg-leuchten.de


BRANCH OFFICE:
 SG Armaturen AB
 August Barksg. 30B
 421 32 Västra Frölunda
 SVERIGE

Tlf: +46 31 81 71 10
 info@sg-ab.se
 www.sg-ab.se

Junistar Gyro 2X



IP44*



III 2x6W, 350mA, 34V	230V, 50/60Hz, 15W, SELV	
✓ SG Oddbox ✓ SG Multibox TEK ✓ SG Multibox mini ✓ SG Sealbox ✓ SG Downlightbox ✓ SG Multibox	* IP44 IP44 IP44	
✓ Volume: Min. 6000 cm³ (6 L)	Min. 50 mm 5 - 40 mm	
NO: Kan kun installeres av en registrert installasjonsvirksomhet EN: Only to be installed by an authorized electrician FR: Doit être installé par un électricien autorisé NL: Mag alleen geïnstalleerd worden door een bevoegde elektricien DE: Dieses Produkt darf nur durch autorisiertes Personal (z. B. Elektro-Installateur) angeschlossen und in Betrieb genommen werden	Min. 50 mm 5 - 40 mm	

CORPORATE OFFICE: SG Armaturen AS Svåbekk 15 4790 Lillesand NORGE Tlf: +47 37 50 03 00 firmapost@sg-as.no www.sg-as.no	BRANCH OFFICE: SG Lighting SA/NV Blokhuisstraat 47 2800 Mechelen Noord I BELGIQUE/BELGIË Tlf: +32(0) 15 20 72 71 info.belux@sglighting.net www.sglighting.net	BRANCH OFFICE: SG Armaturen A/S Egebakken 19 7400 Herning DANMARK Tlf: +45 70 70 72 13 info@sg-as.dk www.sg-as.dk	BRANCH OFFICE: SG Lighting SA/NV 73 rue de Saint Mandrier 83140 Six Fours Les Plages FRANCE Tlf: +33(0) 4 94 93 00 00 info.france@sglighting.fr www.sglighting.net	BRANCH OFFICE: SG Leuchten GmbH Postfach 67 04 21 22344 Hamburg GERMANY Tlf: +49 40 23 99 44 59 info@sg-leuchten.de www.sg-leuchten.de	BRANCH OFFICE: SG Armaturen AB August Barksg. 30B 421 32 Västra Frölunda SVERIGE Tlf: +46 31 81 71 10 info@sg-ab.se www.sg-ab.se
---	--	--	---	---	---

Rev. 04.04.2017

