


Arena Sport



Arena Sport is an energy efficient surface mounted IP23 luminaire for use in sports halls. It is easy to install with hinged gear tray, and can be mounted either direct on ceiling (screws). Arena Sport is available as single and double versions with two light distributions and protective grid. Available with DALI.5/7-pole terminal block with 5/7x2,5mm² through wiring. Cable entry in end caps through grommet.

Product- and environment images





For line drawing dimensions please see each single article codes on next page

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 8246094296 Arena Sport 1200 296mm White Medium 22190lm 4000K Ra>80 DALI-2 155W LED 143 lm/W SDCM:3 L80/B20>100,000, L90/B10>70,000 Beam: Medium, Direct, Lens Medium	Class I IP23 IK10	DALI-2	Surface, Indoor 7-pole screwless terminal block with 5x2,5mm² (+DALI) through wiring	L1263 x W296 x H80
 8246094319 Arena Sport 1200 156mm White Medium 11280lm 4000K Ra>80 DALI-2 71W LED 159 lm/W SDCM:3 L80/B20>100,000, L90/B10>70,000 Beam: Medium, Direct, Lens Medium	Class I IP23 IK10	DALI-2	Surface, Indoor 7-pole screwless terminal block with 5x2,5mm² (+DALI) through wiring	L1263 x W156 x H80
 8246094351 Arena Sport 1500 156mm White Medium 11280lm 4000K Ra>80 DALI-2 71W LED 159 lm/W SDCM:3 L80/B20>100,000, L90/B10>70,000 Beam: Medium, Direct, Lens Medium	Class I IP23 IK10	DALI-2	Surface, Indoor 7-pole screwless terminal block with 5x2,5mm² (+DALI) through wiring	L1763 x W156 x H80
 8246094403 Arena Sport 1200 296mm White Wide 22370lm 4000K Ra>80 DALI-2 144W LED 155 lm/W SDCM:3 L80/B20>100,000, L90/B10>70,000 Beam: Wide, Direct, Lens Wide	Class I IP23 IK10	DALI-2	Surface, Indoor 7-pole screwless terminal block with 5x2,5mm² (+DALI) through wiring	L1263 x W296 x H80
 8246094416 Arena Sport 1200 156mm White Wide 11120lm 4000K Ra>80 DALI-2 71W LED 157 lm/W SDCM:3 L80/B20>100,000, L90/B10>70,000 Beam: Wide, Direct, Lens Wide	Class I IP23 IK10	DALI-2	Surface, Indoor 7-pole screwless terminal block with 5x2,5mm² (+DALI) through wiring	L1263 x W156 x H80
 8246094306 Arena Sport 1200 296mm White Medium 22190lm 4000K Ra>80 On/Off 156W LED 142 lm/W SDCM:3 L80/B20>100,000, L90/B10>70,000	Class I IP23 IK10	On/Off	Surface, Indoor 5-pole screwless terminal block with 5x2,5mm² through wiring	L1263 x W296 x H80

Article codes



Article	Beam: Medium, Direct, Lens Medium	Protection	Control gear	Mounting/Connection	Dimensions
	8246094322	Class I	On/Off	Surface, Indoor	L1263 x W156 x H80
	Arena Sport 1200 156mm White Medium 11280lm 4000K Ra>80 On/Off 70W LED 161 lm/W SDCM:3 L80/B20>100,000, L90/B10>70,000 Beam: Medium, Direct, Lens Medium	IP23 IK10		5-pole screwless terminal block with 5x2,5mm ² through wiring	
	8246094348	Class I	On/Off	Surface, Indoor	L1763 x W156 x H80
	Arena Sport 1500 156mm White Medium 10950lm 4000K Ra>80 On/Off 79W LED 139 lm/W SDCM:3 L80/B20>100,000, L90/B10>70,000 Beam: Medium, Direct, Lens Medium	IP23 IK10		5-pole screwless terminal block with 5x2,5mm ² through wiring	
Accessories					
	8249044861				L1205 x W60 x H19
	Arena Sport 1200 156mm White Anti ball top cover				
	8249044874				L1205 x W200 x H48
	Arena Sport 1200 296mm White Anti ball top cover				
	8249044887				L1705 x W60 x H19
	Arena Sport 1500 156mm White Anti ball top cover				
	820259				L90 x W18 x H58
	Start current limiter DIN 16A				
	8249044890				L19 x W25 x H77
	Arena Sport Mounting kit for horizontal wire				
	8249044900				L19 x W25 x H150
	Wirekit 2x5m				
	8249044913				L100 x W98 x H95
	Mounting kit for adjustable angulation				