



Luminaire suspended/surface-mounted directly in 3000 or 4000 Kelvin LED. Flat design, powder-coated white RAL9010 gloss 25. Double parabolic reflector and diffuser with option of dimmable solution (DALI/SwitchDim). Plug-and-play solution for quick installation. Adjustable wire suspension (2x2 m) ordered as accessory.

## Product- and environment images



# Article codes



| Article                                                                            |                                                                                                  | Protection     | Control gear      | Mounting/Connection                   | Dimensions         |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|----------------|-------------------|---------------------------------------|--------------------|
|    | 8246089560      | <b>Class I</b> | DALI-2            | Suspended or surface, Indoor          | L1200 x W142 x H63 |
|                                                                                    | <b>EcoLine Office 1200 White 2350lm</b>                                                          | <b>IP20</b>    |                   | Screwless terminal block              |                    |
|                                                                                    | <b>3000K Ra&gt;80 DALI-2</b>                                                                     |                |                   |                                       |                    |
|                                                                                    | <b>18W LED</b>                                                                                   |                |                   |                                       |                    |
|                                                                                    | 131 lm/W SDCM:3<br>L80/B10>50,000<br>Direct, Double parabolic louvre, satin matt                 |                |                   |                                       |                    |
|    | 8246090119      | <b>Class I</b> | DALI-2            | Suspended or surface, Indoor          | L1200 x W142 x H63 |
|                                                                                    | <b>EcoLine Office 1200 White 2350lm</b>                                                          | <b>IP20</b>    |                   | Screwless terminal block              |                    |
|                                                                                    | <b>3000K Ra&gt;80 DALI-2</b>                                                                     |                |                   |                                       |                    |
|                                                                                    | <b>18W LED</b>                                                                                   |                |                   |                                       |                    |
|                                                                                    | 131 lm/W SDCM:3<br>L80/B10>50,000<br>Direct, Double parabolic louvre, satin matt                 |                |                   |                                       |                    |
|   | 8246089641                                                                                       | <b>Class I</b> | DALI-2 / Push Dim | Suspended or surface, Indoor          | L1200 x W142 x H63 |
|                                                                                    | <b>EcoLine Office 1200 White 3680lm</b>                                                          | <b>IP20</b>    |                   | Screwless terminal block              |                    |
|                                                                                    | <b>3000K Ra&gt;80 DALI-2 / Push Dim</b>                                                          |                |                   |                                       |                    |
|                                                                                    | <b>28W LED</b>                                                                                   |                |                   |                                       |                    |
|                                                                                    | 131 lm/W SDCM:3<br>L80/B10>50,000<br>Direct, Double parabolic louvre, satin matt                 |                |                   |                                       |                    |
|  | 8246090135    | <b>Class I</b> | DALI-2 / Push Dim | Suspended or surface, Indoor          | L1200 x W142 x H63 |
|                                                                                    | <b>EcoLine Office 1200 White 3060lm</b>                                                          | <b>IP20</b>    |                   | Screwless terminal block              |                    |
|                                                                                    | <b>3000K Ra&gt;80 DALI-2 / Push Dim</b>                                                          |                |                   |                                       |                    |
|                                                                                    | <b>23W LED</b>                                                                                   |                |                   |                                       |                    |
|                                                                                    | 133 lm/W SDCM:3<br>L80/B10>50,000<br>Direct, Double parabolic louvre, satin matt                 |                |                   |                                       |                    |
|  | 8246090504    | <b>Class I</b> | DALI-2 / Push Dim | Suspended, Indoor                     | L1200 x W142 x H81 |
|                                                                                    | <b>EcoLine Office 1200 White 4350lm</b>                                                          | <b>IP20</b>    |                   | 2x2m wire kit w/loop M13 w/2 brackets |                    |
|                                                                                    | <b>3000K Ra&gt;80 DALI-2 / Push Dim</b>                                                          |                |                   | Cable 5x0,75mm² 2,5m white            |                    |
|                                                                                    | <b>30W LED</b>                                                                                   |                |                   | Screwless terminal block              |                    |
|                                                                                    | 145 lm/W SDCM:3<br>L80/B10>50,000<br>Direct/Indirect 60/40%, Double parabolic louvre, satin matt |                |                   |                                       |                    |

# Article codes



| Article                                                                            |                                                                                                  | Protection     | Control gear      | Mounting/Connection                   | Dimensions         |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|----------------|-------------------|---------------------------------------|--------------------|
|    | 8246090546                                                                                       | <b>Class I</b> | DALI-2 / Push Dim | Suspended or surface, Indoor          | L1500 x W142 x H63 |
|                                                                                    | <b>EcoLine Office 1500 White 4510lm</b>                                                          | <b>IP20</b>    |                   | Screwless terminal block              |                    |
|                                                                                    | <b>3000K Ra&gt;80 DALI-2 / Push Dim</b>                                                          |                |                   |                                       |                    |
|                                                                                    | <b>35W LED</b>                                                                                   |                |                   |                                       |                    |
|                                                                                    | 129 lm/W SDCM:3<br>L80/B10>50,000<br>Direct, Double parabolic louvre, satin matt                 |                |                   |                                       |                    |
|    | 8246089557                                                                                       | <b>Class I</b> | On/Off            | Suspended or surface, Indoor          | L1200 x W142 x H63 |
|                                                                                    | <b>EcoLine Office 1200 White 2350lm</b>                                                          | <b>IP20</b>    |                   | Screwless terminal block              |                    |
|                                                                                    | <b>3000K Ra&gt;80 On/Off</b>                                                                     |                |                   |                                       |                    |
|                                                                                    | <b>18W LED</b>                                                                                   |                |                   |                                       |                    |
|                                                                                    | 131 lm/W SDCM:3<br>L80/B10>50,000<br>Direct, Double parabolic louvre, satin matt                 |                |                   |                                       |                    |
|   | 8246089638                                                                                       | <b>Class I</b> | On/Off            | Suspended or surface, Indoor          | L1200 x W142 x H63 |
|                                                                                    | <b>EcoLine Office 1200 White 3680lm</b>                                                          | <b>IP20</b>    |                   | Screwless terminal block              |                    |
|                                                                                    | <b>3000K Ra&gt;80 On/Off</b>                                                                     |                |                   |                                       |                    |
|                                                                                    | <b>28W LED</b>                                                                                   |                |                   |                                       |                    |
|                                                                                    | 131 lm/W SDCM:3<br>L80/B10>50,000<br>Direct, Double parabolic louvre, satin matt                 |                |                   |                                       |                    |
|  | 8246090112                                                                                       | <b>Class I</b> | On/Off            | Suspended or surface, Indoor          | L1200 x W142 x H63 |
|                                                                                    | <b>EcoLine Office 1200 White 3060lm</b>                                                          | <b>IP20</b>    |                   | Screwless terminal block              |                    |
|                                                                                    | <b>3000K Ra&gt;80 On/Off</b>                                                                     |                |                   |                                       |                    |
|                                                                                    | <b>23W LED</b>                                                                                   |                |                   |                                       |                    |
|                                                                                    | 133 lm/W SDCM:3<br>L80/B10>50,000<br>Direct, Double parabolic louvre, satin matt                 |                |                   |                                       |                    |
|  | 8246090494                                                                                       | <b>Class I</b> | On/Off            | Suspended, Indoor                     | L1200 x W142 x H81 |
|                                                                                    | <b>EcoLine Office 1200 White 4350lm</b>                                                          | <b>IP20</b>    |                   | 2x2m wire kit w/loop M13 w/2 brackets |                    |
|                                                                                    | <b>3000K Ra&gt;80 On/Off</b>                                                                     |                |                   | Cable 5x0,75mm² 2,5m w/ Schuko white  |                    |
|                                                                                    | <b>30W LED</b>                                                                                   |                |                   | Screwless terminal block              |                    |
|                                                                                    | 145 lm/W SDCM:3<br>L80/B10>50,000<br>Direct/Indirect 60/40%, Double parabolic louvre, satin matt |                |                   |                                       |                    |

# Article codes



| Article                                                                            |                                                                                                                                                                                               | Protection     | Control gear      | Mounting/Connection                                                                                       | Dimensions         |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------|-----------------------------------------------------------------------------------------------------------|--------------------|
|    | 8246090533                                                                                                                                                                                    | <b>Class I</b> | On/Off            | Suspended or surface, Indoor                                                                              | L1500 x W142 x H63 |
|                                                                                    | <b>EcoLine Office 1500 White 4510lm</b><br><b>3000K Ra&gt;80 On/Off</b><br><b>35W LED</b><br>129 lm/W SDCM:3<br>L80/B10>50,000<br>Direct, Double parabolic louvre, satin matt                 | <b>IP20</b>    |                   | Screwless terminal block                                                                                  |                    |
|    | 8246090575                                                                                                                                                                                    | <b>Class I</b> | On/Off            | Suspended, Indoor                                                                                         | L1500 x W142 x H81 |
|                                                                                    | <b>EcoLine Office 1500 White 4920lm</b><br><b>3000K Ra&gt;80 On/Off</b><br><b>34W LED</b><br>145 lm/W SDCM:3<br>L80/B10>50,000<br>Direct/Indirect 65/35%, Double parabolic louvre, satin matt | <b>IP20</b>    |                   | 2x2m wire kit w/loop M13 w/2 brackets<br>Cable 3x0,75mm² 2,5m w/ Schuko white<br>Screwless terminal block |                    |
|   | 8246090588                                                                                                                                                                                    | <b>Class I</b> | DALI-2            | Suspended, Indoor                                                                                         | L1500 x W142 x H81 |
|                                                                                    | <b>EcoLine Office 1500 4920lm 3000K</b><br><b>Ra&gt;80 DALI-2</b><br><b>34W LED</b><br>145 lm/W SDCM:3<br>L80/B10>50,000<br>Direct/Indirect 65/35%, Double parabolic louvre, satin matt       | <b>IP20</b>    |                   | 2x2m wire kit w/loop M13 w/2 brackets<br>Screwless terminal block                                         |                    |
|  | 8246089586                                                                                                                                                                                    | <b>Class I</b> | DALI-2            | Suspended or surface, Indoor                                                                              | L1200 x W142 x H63 |
|                                                                                    | <b>EcoLine Office 1200 White 2450lm</b><br><b>4000K Ra&gt;80 DALI-2</b><br><b>18W LED</b><br>136 lm/W SDCM:3<br>L80/B10>50,000<br>Direct, Double parabolic louvre, satin matt                 | <b>IP20</b>    |                   | Screwless terminal block                                                                                  |                    |
|  | 8246089667                                                                                                                                                                                    | <b>Class I</b> | DALI-2 / Push Dim | Suspended or surface, Indoor                                                                              | L1200 x W142 x H63 |
|                                                                                    | <b>EcoLine Office 1200 White 3890lm</b><br><b>4000K Ra&gt;80 DALI-2 / Push Dim</b><br><b>28W LED</b><br>139 lm/W SDCM:3<br>L80/B10>50,000<br>Direct, Double parabolic louvre, satin matt      | <b>IP20</b>    |                   | Screwless terminal block                                                                                  |                    |

# Article codes



| Article                                                                            |                                                                                                                                                                                                          | Protection     | Control gear      | Mounting/Connection                                                                                       | Dimensions         |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------|-----------------------------------------------------------------------------------------------------------|--------------------|
|    | 8246090562                                                                                                                                                                                               | <b>Class I</b> | DALI-2 / Push Dim | Suspended or surface, Indoor                                                                              | L1500 x W142 x H63 |
|                                                                                    | <b>EcoLine Office 1500 White 4710lm</b><br><b>4000K Ra&gt;80 DALI-2 / Push Dim</b><br><b>35W LED</b><br>135 lm/W SDCM:3<br>L80/B10>50,000<br>Direct, Double parabolic louvre, satin matt                 | <b>IP20</b>    |                   | Screwless terminal block                                                                                  |                    |
|    | 8246090601                                                                                                                                                                                               | <b>Class I</b> | DALI-2 / Push Dim | Suspended, Indoor                                                                                         | L1500 x W142 x H81 |
|                                                                                    | <b>EcoLine Office 1500 White 5140lm</b><br><b>4000K Ra&gt;80 DALI-2 / Push Dim</b><br><b>34W LED</b><br>151 lm/W SDCM:3<br>L80/B10>50,000<br>Direct/Indirect 65/35%, Double parabolic louvre, satin matt | <b>IP20</b>    |                   | 2x2m wire kit w/loop M13 w/2 brackets<br>Cable 5x0,75mm² 2,5m white<br>Screwless terminal block           |                    |
|   | 8246089573                                                                                                                                                                                               | <b>Class I</b> | On/Off            | Suspended or surface, Indoor                                                                              | L1200 x W142 x H63 |
|                                                                                    | <b>EcoLine Office 1200 White 2450lm</b><br><b>4000K Ra&gt;80 On/Off</b><br><b>18W LED</b><br>136 lm/W SDCM:3<br>L80/B10>50,000<br>Direct, Double parabolic louvre, satin matt                            | <b>IP20</b>    |                   | Screwless terminal block                                                                                  |                    |
|  | 8246089654                                                                                                                                                                                               | <b>Class I</b> | On/Off            | Suspended or surface, Indoor                                                                              | L1200 x W142 x H63 |
|                                                                                    | <b>EcoLine Office 1200 White 3840lm</b><br><b>4000K Ra&gt;80 On/Off</b><br><b>28W LED</b><br>137 lm/W SDCM:3<br>L80/B10>50,000<br>Direct, Double parabolic louvre, satin matt                            | <b>IP20</b>    |                   | Screwless terminal block                                                                                  |                    |
|  | 8246090517                                                                                                                                                                                               | <b>Class I</b> | On/Off            | Suspended, Indoor                                                                                         | L1200 x W142 x H81 |
|                                                                                    | <b>EcoLine Office 1200 White 4540lm</b><br><b>4000K Ra&gt;80 On/Off</b><br><b>30W LED</b><br>151 lm/W SDCM:3<br>L80/B10>50,000<br>Direct/Indirect 60/40%, Double parabolic louvre, satin matt            | <b>IP20</b>    |                   | 2x2m wire kit w/loop M13 w/2 brackets<br>Cable 3x0,75mm² 2,5m w/ Schuko white<br>Screwless terminal block |                    |

# Article codes



| Article                                                                                                                                                                                                                                                                                                                                                                        | Protection                    | Control gear | Mounting/Connection                                                                                                            | Dimensions         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------|--------------------|
|  <p>8246090559<br/> <b>EcoLine Office 1500 White 4710lm</b><br/> <b>4000K Ra&gt;80 On/Off</b><br/> <b>35W LED</b><br/>                     135 lm/W SDCM:3<br/>                     L80/B10&gt;50,000<br/>                     Direct, Double parabolic louvre, satin matt</p>                 | <b>Class I</b><br><b>IP20</b> | On/Off       | Suspended or surface, Indoor<br>Screwless terminal block                                                                       | L1500 x W142 x H63 |
|  <p>8246090591<br/> <b>EcoLine Office 1500 White 5140lm</b><br/> <b>4000K Ra&gt;80 On/Off</b><br/> <b>34W LED</b><br/>                     151 lm/W SDCM:3<br/>                     L80/B10&gt;50,000<br/>                     Direct/Indirect 65/35%, Double parabolic louvre, satin matt</p> | <b>Class I</b><br><b>IP20</b> | On/Off       | Suspended, Indoor<br>2x2m wire kit w/loop M13 w/2 brackets<br>Cable 3x0,75mm² 2,5m w/ Schuko white<br>Screwless terminal block | L1500 x W142 x H81 |
| <b>Accessories</b>                                                                                                                                                                                                                                                                                                                                                             |                               |              |                                                                                                                                |                    |
|  <p>212255<br/> <b>T-profil White Suspension Rail 600mm</b></p>                                                                                                                                                                                                                              |                               |              |                                                                                                                                | L596 x W35 x H17   |
|  <p>212048<br/> <b>EcoLine Office accessories 1200 Asymmetric bracket with wirekit</b></p>                                                                                                                                                                                                   |                               |              |                                                                                                                                | L1050 x W135 x H40 |
|  <p>212049<br/> <b>EcoLine Office accessories Wire kit</b></p>                                                                                                                                                                                                                               |                               |              |                                                                                                                                | L2000              |
|  <p>6049000874<br/> <b>EcoLine Office accessories Mounting kit for suspension rail</b></p>                                                                                                                                                                                                   |                               |              |                                                                                                                                |                    |
|  <p>8249042724 •<br/> <b>Ceiling box 2x2m Wire kit</b></p>                                                                                                                                                                                                                                   |                               |              |                                                                                                                                | L180 x W120 x H10  |

• = This article is produced by order, with an expected delivery time of 3-4 weeks.