

Circulus Pendant



Pendant suspension on three adjustable wires, wholly uniform light with attractive design, made of powder-coated steel, simple to mount using ceiling electrical box that can be screwed on to all known ceiling outlets/electrical boxes, clips with option of additional looping, current sent from driver to lamp via the adjustable wires so that there are no visible wires, dimmable driver Phase cut-off/DALI, both visible and concealed cabling possible.

Circulus Pendant



Product- and environment images



Article codes



Article		Protection	Control gear	Mounting/Connection	Dimensions
	214005 Circulus Pendant Black 1420lm 2700K Ra>80 Trailing edge 15W LED 95 lm/W SDCM:3 L80/B10>50,000, L70/B50>100,000 Beam: 110°, Direct, Opal	Class I IP20	Trailing edge	Suspended, Indoor Screwless terminal block	Ø360 x H280
	212005 Circulus Pendant White 1420lm 2700K Ra>80 Trailing edge 15W LED 95 lm/W SDCM:3 L80/B10>50,000, L70/B50>100,000 Beam: 110°, Direct, Opal	Class I IP20	Trailing edge	Suspended, Indoor Screwless terminal block	Ø360 x H280
	211008 • Circulus Pendant Black 1345lm 3000K Ra>80 DALI-2 / Push Dim 18.7W LED 72 lm/W SDCM:3 L80/B10>50,000, L70/B50>100,000 Beam: 110°, Direct, Opal	Class I IP21	DALI-2 / Push Dim	Suspended, Indoor Screwless terminal block	Ø360 x H45
	214006 Circulus Pendant Black 1530lm 3000K Ra>80 Trailing edge 15W LED 102 lm/W SDCM:3 L80/B10>50,000, L70/B50>100,000 Beam: 110°, Direct, Opal	Class I IP20	Trailing edge	Suspended, Indoor Screwless terminal block	Ø360 x H280
	212014 • Circulus Pendant White 1345lm 3000K Ra>80 DALI-2 / Push Dim 18.7W LED 72 lm/W SDCM:3 L80/B10>50,000, L70/B50>100,000 Beam: 110°, Direct, Opal	Class I IP21	DALI-2 / Push Dim	Surface, Indoor Screwless terminal block	Ø360 x H45
	212006 Circulus Pendant White 1530lm 3000K Ra>80 Trailing edge 15W LED 102 lm/W SDCM:3 L80/B10>50,000, L70/B50>100,000 Beam: 110°, Direct, Opal	Class I IP20	Trailing edge	Suspended, Indoor Screwless terminal block	Ø360 x H280

• = This article is produced by order, with an expected delivery time of 3-4 weeks.