Duett

Attractive, half moon shaped wall luminaire that can be installed both indoors and outdoors. Made of die-cast powder-coated aluminium. Diffuser made of UV-stabilised opal polycarbonate. Two inputs/outputs for cables, option of both visible and concealed cabling, and loopable quick clips. IP65 and vandal-resistant rating IK10.

Duett

Product- and environment images

Article codes

Article		Protection	Control gear	Mounting/Connection	Dimensions
	614393 **Duett Black E27 350lm 2700K** **Ra>80 Trailing edge** **10W LED** 35 lm/W SDCM:6 L70/B50>50,000 Beam: 100°, Direct, Opal	**Class I** **IP65** **IK10**	Trailing edge	Surface, Outdoor Screwless terminal block	W271 x H142 x D148
	623393 **Duett Graphite E27 350lm 2700K** **Ra>80 Trailing edge** **10W LED** 35 lm/W SDCM:6 L70/B50>50,000 Beam: 100°, Direct, Opal	**Class I** **IP65** **IK10**	Trailing edge	Surface, Outdoor Screwless terminal block	W271 x H142 x D148
	611393 **Duett White E27 350lm 2700K** **Ra>80 Trailing edge** **10W LED** 35 lm/W SDCM:6 L70/B50>50,000 Beam: 100°, Direct, Opal	**Class I** **IP65** **IK10**	Trailing edge	Surface, Outdoor Screwless terminal block	W271 x H142 x D148
	614390 **Duett Black E27 On/Off** Beam: 100°, Direct, Opal	**Class I** **IP65** **IK10**	On/Off	Surface, Outdoor Screwless terminal block	W271 x H142 x D148
	623390 **Duett Graphite E27 On/Off** Beam: 100°, Direct, Opal	**Class I** **IP65** **IK10**	On/Off	Surface, Outdoor Screwless terminal block	W271 x H142 x D148
	611390 **Duett White E27 On/Off** Beam: 100°, Direct, Opal	**Class I** **IP65** **IK10**	On/Off	Surface, Outdoor Screwless terminal block	W271 x H142 x D148

Accessories					
	600002 **Number Plate 320x271mm**			Indoor / Outdoor	L320 x W271 x H10