



Attractive downlight for indoor use, particularly well suited to sloping walls and effect lighting via the unique 40-degree trunk tip. Well integrated LED chip and associated dimmable driver. Made of die-cast powder-coated aluminium or brushed steel, glass diffuser. 42-degree beam angle. Low recessed downlight with hole size Ø83mm

Product- and environment images



Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 903208 Junistar Exclusive In/Outdoor White DimToWarm 540lm 2000-2800K Ra>95 Trailing edge 8W LED 68 lm/W SDCM:3 L90/B10>50,000 Beam: 42°, Direct, Reflector	Class II SELV IP44/IP20	Trailing edge	Recessed, Indoor / Outdoor Screwless terminal block	Ø94 x H53
 903203 Junistar Exclusive In/Outdoor Black 640lm 2700K Ra>95 Trailing edge 11W LED 58 lm/W SDCM:2 L90/B10>100,000 Beam: 42°, Direct, Reflector	Class II SELV IP44/IP20	Trailing edge	Recessed, Indoor / Outdoor Screwless terminal block	L121 x W94 x H55
 903202 Junistar Exclusive Brushed steel 680lm 2700K Ra>95 Trailing edge 10.9W LED 62 lm/W SDCM:2 L90/B10>100,000 Beam: 42°, Direct, Reflector	Class II SELV IP44/IP20	Trailing edge	Recessed, Indoor Screwless terminal block	L121 x W94 x H55
 903204 Junistar Exclusive In/Outdoor Graphite 650lm 2700K Ra>95 Trailing edge 10.9W LED 60 lm/W SDCM:2 L90/B10>100,000 Beam: 42°, Direct, Reflector	Class II SELV IP44/IP20	Trailing edge	Recessed, Indoor / Outdoor Screwless terminal block	L121 x W94 x H55
 903201 Junistar Exclusive In/Outdoor White 730lm 2700K Ra>95 Trailing edge 11W LED 66 lm/W SDCM:2 L90/B10>100,000 Beam: 42°, Direct, Reflector	Class II SELV IP44/IP20	Trailing edge	Recessed, Indoor / Outdoor Screwless terminal block	L121 x W94 x H55
 903303 Junistar Exclusive In/Outdoor Black 660lm 3000K Ra>95 Trailing edge 10.9W LED 61 lm/W SDCM:2	Class II SELV IP44/IP20	Trailing edge	Recessed, Indoor / Outdoor Screwless terminal block	L121 x W94 x H55

Article codes



Article	L90/B10>100,000	Protection	Control gear	Mounting/Connection	Dimensions
 Beam: 42°, Direct, Reflector Junistar Exclusive Brushed steel 700lm 3000K Ra>95 Trailing edge 10.9W LED 64 lm/W SDCM:2 L90/B10>100,000 Beam: 42°, Direct, Reflector	903302	Class II SELV IP44/IP20	Trailing edge	Recessed, Indoor Screwless terminal block	L121 x W94 x H55
 903304 Junistar Exclusive In/Outdoor Graphite 680lm 3000K Ra>95 Trailing edge 10.9W LED 62 lm/W SDCM:2 L90/B10>100,000 Beam: 42°, Direct, Reflector	903304	Class II SELV IP44/IP20	Trailing edge	Recessed, Indoor / Outdoor Screwless terminal block	L121 x W94 x H55
 903301 Junistar Exclusive In/Outdoor White 760lm 3000K Ra>95 Trailing edge 11W LED 69 lm/W SDCM:2 L90/B10>100,000 Beam: 42°, Direct, Reflector	903301	Class II SELV IP44/IP20	Trailing edge	Recessed, Indoor / Outdoor Screwless terminal block	L121 x W94 x H55
 903403 Junistar Exclusive In/Outdoor Black 730lm 4000K Ra>95 Trailing edge 10.9W LED 67 lm/W SDCM:2 L90/B10>100,000 Beam: 42°, Direct, Reflector	903403	Class II SELV IP44/IP20	Trailing edge	Recessed, Indoor / Outdoor Screwless terminal block	L121 x W94 x H55
 903402 Junistar Exclusive Brushed steel 780lm 4000K Ra>95 Trailing edge 10.9W LED 72 lm/W SDCM:2 L90/B10>100,000 Beam: 42°, Direct, Reflector	903402	Class II SELV IP44/IP20	Trailing edge	Recessed, Indoor Screwless terminal block	L121 x W94 x H55
 903404 Junistar Exclusive In/Outdoor Graphite 750lm 4000K Ra>95 Trailing edge 10.9W LED 69 lm/W SDCM:2 L90/B10>100,000	903404	Class II SELV IP44/IP20	Trailing edge	Recessed, Indoor / Outdoor Screwless terminal block	L121 x W94 x H55



Article codes



Article	Beam: 42°, Direct, Reflector	Protection	Control gear	Mounting/Connection	Dimensions
	903401	Class II SELV	Trailing edge	Recessed, Indoor / Outdoor	L121 x W94 x H55
	Junistar Exclusive In/Outdoor	IP44/IP20		Screwless terminal block	
	White 840lm 4000K Ra>95 Trailing edge				
	10.9W LED				
	77 lm/W SDCM:2 L90/B10>100,000 Beam: 42°, Direct, Reflector				
Accessories					
	9143				Ø133 x L133 x W133 x H4
	Rehab Ring Black 133mm for Junistar, Uniled, Soft & Jupiter				
	9236				Ø180 x H45
	Rehab Ring Black 180mm for Junistar, Uniled, Soft & Jupiter				
	9973				Ø133 x H4
	Rehab Ring Brushed steel 133mm for Junistar, Uniled, Soft & Jupiter				
	9233				Ø133 x L133 x W133 x H4
	Rehab Ring Graphite 133mm for Junistar, Uniled, Soft & Jupiter				
	9234				Ø180 x H45
	Rehab Ring Graphite 180mm for Junistar, Uniled, Soft & Jupiter				
	9327				Ø250 x H45
	Rehab Ring Graphite 250mm for Junistar, Uniled, Soft & Jupiter				
	9223				Ø133 x L133 x W133 x H4
	Rehab Ring White 133mm for Junistar, Uniled, Soft & Jupiter				
	9224				Ø180 x H45
	Rehab Ring White 180mm for Junistar, Uniled, Soft & Jupiter				
	9227				Ø250 x H45
	Rehab Ring White 250mm for Junistar, Uniled, Soft & Jupiter				
	820489				L220 x W75 x H34
	Sensor Dim Box White 200VA				

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 8246094429 Emergencybox Driver DALI / EM Self test, DALI Emergency 3 hours				L270 x W75 x H35
 820090 Emergencybox Adapter kit for downlight				L250 x W13 x H13
 8246094364 Emergencybox On-Off/Trailing edge / EM Self test, Emergency 3 hours				L270 x W75 x H35
 8246094500 Emergencybox Driver DALI / EM DALI/Self test, Emergency 3 hours				L270 x W75 x H35