


# LEDDim Smart




Smart dimmer for mounting to wall box (EU) Bluetooth communication (BLE) and control via App. Setting of minimum level, input for button with dimming function. Five-year system warranty for dimmer when it is used together with SG products.

# LEDDim Smart



## Product- and environment images



# Article codes



| Article                                                                                                                                           | Protection | Control gear  | Mounting/Connection | Dimensions       |
|---------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------------|---------------------|------------------|
|  820413<br><b>LEDDim Smart 2-pole White 400VA</b>                | IP20       | Trailing edge | Recessed, Indoor    | L84 x W84 x H48  |
| <b>Accessories</b>                                                                                                                                |            |               |                     |                  |
|  78501<br><b>Back box Black 1X</b>                               | IP41       |               | Surface, Indoor     | L86 x W86 x H35  |
|  78511<br><b>Back box Black 2X</b>                               | IP41       |               | Surface, Indoor     | L86 x W157 x H35 |
|  78521<br><b>Back box Black 3X</b>                               | IP41       |               | Surface, Indoor     | L86 x W228 x H35 |
|  820417<br><b>LEDDim 350/400/Smart Black SG Front</b>            |            |               |                     | L83 x W83 x H29  |
|  820418<br><b>LEDDim 350/400/Smart Silver Elko Adapter</b>     |            |               |                     | L55 x W55 x H12  |
|  78500<br><b>Back box White 1X</b>                             | IP41       |               | Surface, Indoor     | L86 x W86 x H35  |
|  78510<br><b>Back box White 2X</b>                             | IP41       |               | Surface, Indoor     | L86 x W157 x H35 |
|  78520<br><b>Back box White 3X</b>                             | IP41       |               | Surface, Indoor     | L86 x W228 x H35 |
|  820352<br><b>LEDDim 350/400/Smart White ABB Adapter</b>       |            |               |                     | L55 x W55 x H10  |
|  820353<br><b>LEDDim 350/400/Smart White Schneider Adapter</b> |            |               |                     | L56 x W56 x H12  |
|  820356<br><b>LEDDim 350/400/Smart White Elko Adapter</b>      |            |               |                     | L55 x W55 x H14  |

# Article codes



| Article                                                                                                                         | Protection | Control gear | Mounting/Connection | Dimensions      |
|---------------------------------------------------------------------------------------------------------------------------------|------------|--------------|---------------------|-----------------|
|  820424<br>LEDDim 350/400/Smart White SG Front |            |              |                     | L83 x W83 x H23 |