



Luna Deco is a family of outdoor in-ground lights for effect lighting. They are perfect for lighting the edges of paths and other garden elements. They are also well suited for mounting in walls. They are made of acid-proof steel and powder coated machined aluminum. Totally waterproof, IP67. Has integrated, sealed LED light source. Comes with a tube for mounting in the ground, and with a clip for mounting in a wall. Delivered with cable for connecting to a 24V driver. 1-4 Luna Deco/Driver.

Luna Deco










Product- and environment images










Article codes



| Article | Protection | Control gear | Mounting/Connection | Dimensions |
|---|--|--------------------------------------|-------------------------------|-----------------------|
|  <p>630012 Luna Deco 1 8lm 3000K Ra>80 Dimmable, depending on the driver 4W LED 2 lm/W SDCM:3 L80/B20>50,000 Indirect, Lens</p> | Class III IP67 IK10 | Dimmable, depending on the driver | Recessed, Outdoor Cable 1m | L51 x W60 x H51 x D51 |
|  <p>630013 Luna Deco 2 16lm 3000K Ra>80 Dimmable, depending on the driver 4W LED 4 lm/W SDCM:3 L80/B20>50,000 Indirect, Lens</p> | Class III IP67 IK10 | Dimmable, depending on the driver | Recessed, Outdoor Cable 1m | L51 x W60 x H51 x D51 |
|  <p>630014 Luna Deco 30 16lm 3000K Ra>80 Dimmable, depending on the driver 4W LED 4 lm/W SDCM:3 L80/B20>50,000 Indirect, Lens</p> | Class III IP67 IK10 | Dimmable, depending on the driver | Recessed, Outdoor Cable 1m | L51 x W60 x H51 x D51 |
|  <p>630015 Luna Deco 3U 13lm 3000K Ra>80 Dimmable, depending on the driver 4W LED 3 lm/W SDCM:3 L80/B20>50,000 Indirect, Lens</p> | Class III IP67 IK10 | Dimmable, depending on the driver | Recessed, Outdoor Cable 1m | L51 x W60 x H51 x D51 |
| Drivers | | | | |
|  <p>692107 Luna Black 24V Max 20W Driverbox Trailing edge</p> | | | | L180 x W100 x H53 |
|  <p>820444 IP65 Junction box Black Incl driver 90W Trailing edge</p> | | | | L346 x W127 x H53 |
|  <p>820576 SG White Driver 24V 150W DALI-2 / Push Dim 150W 50,000</p> | Class II IP20 | DALI-2 / Push Dim | Indoor | L240 x W59 x H40 |

Article codes



| Article | Protection | Control gear | Mounting/Connection | Dimensions |
|---|------------|--------------|---------------------|-------------------|
|  820440 SG White Driver 24V 36W Trailing edge | | | | L200 x W85 x H35 |
|  820441 SG White Driver 24V 75W Trailing edge | | | | L200 x W85 x H35 |
|  820442 SG White Driver 24V 150W Trailing edge | | | | L310 x W85 x H35 |
| Accessories | | | | |
|  78740 Gelbox-I Black Connector | | | | L135 x W48 x H30 |
|  78741 Gelbox-Y Black Connector | | | | L148 x W86 x H30 |
|  630042 Luna Deco Black In-ground box | | | | L100 x W86 x H100 |
|  630059 Luna Deco Replacement spring | | | | Ø38 x H32 |