

Metro Deco



Round wall luminaire for outdoor installation. Available both as an upward/downward light and as a downward light. The luminaire has an interchangeable GU10 LED light source (included) and is dimmable with a trailing-edge dimmer. Simple installation with a wall bracket and connector for the lamp, two cable inputs and the option of both visible and concealed cabling. Can be mounted on a corner with a corner bracket (sold separately).

Metro Deco



Product- and environment images



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>623700 Metro Deco Graphite 190lm 2700K Ra>80 Trailing edge 4.5W LED 42 lm/W SDCM:4 L70/B50>40,000 Beam: 35°, Direct, Plastic clear</p>	Class II IP65 IK08	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	W90 x H125 x D147
 <p>623701 Metro Deco Graphite 380lm 2700K Ra>80 Trailing edge 9W LED 42 lm/W SDCM:4 L70/B50>40,000 Beam: 35°/35°, Direct, Plastic clear</p>	Class II IP65 IK08	Trailing edge	Surface, Outdoor Screwless terminal block	W90 x H225 x D147
 <p>623704 Metro Deco Graphite 350lm 3000K Ra>80 Trailing edge 6.2W LED 56 lm/W SDCM:4 L70/B50>25,000 Beam: 35°, Direct, Plastic clear</p>	Class II IP65 IK08	Trailing edge	Surface, Outdoor Screwless terminal block	W90 x H125 x D147
 <p>623705 Metro Deco 2x6,2W Graphite 700lm 3000K Ra>80 Trailing edge 12.4W LED 56 lm/W SDCM:4 L70/B50>25,000 Beam: 35°/35°, Direct, Plastic clear</p>	Class II IP65 IK08	Trailing edge	Surface, Outdoor Screwless terminal block	W90 x H225 x D147
Accessories				
 <p>614207 Black Corner bracket</p>				W80 x H101 x D50
 <p>623207 Graphite Corner bracket</p>				W80 x H101 x D50
 <p>611207 White Corner bracket</p>				W80 x H101 x D50