







Design: Hallvard Jakobsen. Low bollard in classic design. Light source included. Long durability with vandal class IK10. Made of powder coated aluminum and polycarbonate dome. Can be fixed to tiles or or into the ground with a ground anchor (accessory).

# Opus



## Product- and environment images



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>623736  <b>Opus Graphite</b>  <b>320lm/330lm/610lm/640lm</b>  <b>3000/4000K Ra&gt;80 Trailing edge</b>  <b>LED</b>            36/37/34/36lm/W SDCM:3            L70/B50&gt;50,000            Beam: 360°, Direct, Opal</p>	<p><b>Class II</b>  <b>IP65</b>  <b>IK10</b></p>	<p>Trailing edge</p>	<p>Onto surfaces or ground anchor,            Outdoor            Screwless terminal block</p>	<p>Ø216 x H970</p>
 <p>623742  <b>Opus Graphite R</b>  <b>320lm/330lm/610lm/640lm</b>  <b>3000/4000K Ra&gt;80 Trailing edge</b>  <b>LED</b>            36/37/34/36lm/W SDCM:3            L70/B50&gt;50,000            Beam: 360°, Direct, Opal</p>	<p><b>Class II</b>  <b>IP65</b>  <b>IK10</b></p>	<p>Trailing edge</p>	<p>Onto surfaces or ground anchor,            Outdoor            Screwless terminal block</p>	<p>Ø216 x H396</p>
<b>Accessories</b>				
 <p>600583  <b>Opus Anchoring set</b></p>				<p>Ø175 x H255</p>