






Design: Svein Knudsen / Andrew Smith. Attractive, round luminaire with indirect light that can be mounted to both walls and ceilings, both indoors and outdoors. Made of die-cast powdercoated aluminium. Flat diffuser made of UV-stabilised opal polycarbonate. Efficient and powerful with several light source variants and option of both sensor and wireless control. Two inputs/outputs for cables, option of both visible and concealed cabling, and loopable quick clips. IP65 and vandal-resistant rating IK10.

## Product- and environment images



# Article codes



Article		Protection	Control gear	Mounting/Connection	Dimensions
	633877	<b>Class I</b>	Sensor	Surface, Outdoor	Ø340 x H105
	<b>Piano 2000 Graphite 1650lm 3000K</b>	<b>IP65</b>		Screwless terminal block	
	<b>Ra&gt;80 Sensor</b>	<b>IK10</b>			
	<b>14W LED</b>				
	118 lm/W SDCM:3 L70/B50>100,000 Beam: 110°, Direct/Indirect, Opal				
	633876	<b>Class I</b>	Trailing edge	Surface, Outdoor	Ø340 x H105
	<b>Piano 2000 Graphite 1650lm 3000K</b>	<b>IP65</b>		Screwless terminal block	
	<b>Ra&gt;80 Trailing edge</b>	<b>IK10</b>			
	<b>14W LED</b>				
	118 lm/W SDCM:3 L70/B50>100,000 Beam: 110°, Direct/Indirect, Opal				
	621876	<b>Class I</b>	Trailing edge	Surface, Outdoor	Ø340 x H105
	<b>Piano 2000 White 1680lm 3000K</b>	<b>IP65</b>		Screwless terminal block	
	<b>Ra&gt;80 Trailing edge</b>	<b>IK10</b>			
	<b>14W LED</b>				
	120 lm/W SDCM:3 L70/B50>100,000 Beam: 110°, Direct/Indirect, Opal				