

Sense Surface



Sense Surface is an elegant, thin surface mounted luminaire, illuminated by a side light LED solution. Easy tool-free installation, with quick connector between bracket and the front is held by strong magnets with restraining strap. An innovative mechanism lets you choose whether the front should be totally flush with the ceiling for hidden cabling or floating slightly below for surface cabling.

Sense Surface



Product- and environment images



Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>212348 Sense Surface 640x200 White 1830lm 2700K Ra>80 PIR Sensor 18W LED 102 lm/W SDCM:3 L80/B20>100,000 Direct, Opalprism</p>	Class II IP20 IK10	PIR Sensor	Surface, Indoor Screwless terminal block	L642 x W202 x H45
 <p>212374 Sense Surface 640x200 White 1830lm 2700K Ra>80 Trailing edge 18W LED 102 lm/W SDCM:3 L80/B20>100,000 Direct, Opalprism</p>	Class II IP20 IK10	Trailing edge	Surface, Indoor Screwless terminal block	L642 x W202 x H45
 <p>212350 Sense Surface 600x600 Black 3770lm 3000K Ra>80 Trailing edge 30W LED 126 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	Trailing edge	Surface, Indoor Screwless terminal block	L597 x W597 x H45
 <p>212351 Sense Surface 300x1200 Black 3690lm 3000K Ra>80 Trailing edge 30W LED 123 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	Trailing edge	Surface, Indoor Screwless terminal block	L1202 x W302 x H45
 <p>212331 Sense Surface 600x600 White 3640lm 3000K Ra>80 DALI-2 / Push Dim 28W LED 130 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	DALI-2 / Push Dim	Surface, Indoor Screwless terminal block	L597 x W597 x H45
 <p>212361 Sense Surface 300x1200 White 3790lm 3000K Ra>80 DALI-2 / Push Dim 29W LED 131 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	DALI-2 / Push Dim	Surface, Indoor Screwless terminal block	L1202 x W302 x H45

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>212344 Sense Surface 600x600 White 3640lm 3000K Ra>80 PIR Sensor 28W LED 130 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	PIR Sensor	Surface, Indoor Screwless terminal block	L597 x W597 x H45
 <p>212346 Sense Surface 300x1200 White 3790lm 3000K Ra>80 PIR Sensor 29W LED 131 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	PIR Sensor	Surface, Indoor Screwless terminal block	L1202 x W302 x H45
 <p>212349 Sense Surface 640x200 White 1910lm 3000K Ra>80 PIR Sensor 18W LED 106 lm/W SDCM:3 L80/B20>100,000 Direct, Opalprism</p>	Class II IP20 IK10	PIR Sensor	Surface, Indoor Screwless terminal block	L642 x W202 x H45
 <p>212330 Sense Surface 600x600 White 3640lm 3000K Ra>80 Trailing edge 28W LED 130 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	Trailing edge	Surface, Indoor Screwless terminal block	L597 x W597 x H45
 <p>212360 Sense Surface 300x1200 White 3790lm 3000K Ra>80 Trailing edge 29W LED 131 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	Trailing edge	Surface, Indoor Screwless terminal block	L1202 x W302 x H45
 <p>212375 Sense Surface 640x200 White 1910lm 3000K Ra>80 Trailing edge 18W LED 106 lm/W SDCM:3 L80/B20>100,000 Direct, Opalprism</p>	Class II IP20 IK10	Trailing edge	Surface, Indoor Screwless terminal block	L642 x W202 x H45

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>212392 Sense Surface 300x1600 White 4910lm 3000K Ra>80 Trailing edge 38W LED 129 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	Trailing edge	Surface, Indoor Screwless terminal block	L1582 x W302 x H45
 <p>212394 Sense Surface 370x370 White 1980lm 3000K Ra>80 Trailing edge 17W LED 116 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	Trailing edge	Surface, Indoor Screwless terminal block	L370 x W370 x H45
 <p>212338 Sense Surface 600x600 White 3870lm 4000K Ra>80 DALI-2 / Push Dim 28W LED 138 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	DALI-2 / Push Dim	Surface, Indoor Screwless terminal block	L597 x W597 x H45
 <p>212368 Sense Surface 300x1200 White 3980lm 4000K Ra>80 DALI-2 / Push Dim 29W LED 137 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	DALI-2 / Push Dim	Surface, Indoor Screwless terminal block	L1202 x W302 x H45
 <p>212345 Sense Surface 600x600 White 3870lm 4000K Ra>80 PIR Sensor 28W LED 138 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	PIR Sensor	Surface, Indoor Screwless terminal block	L597 x W597 x H45
 <p>212347 Sense Surface 300x1200 White 3980lm 4000K Ra>80 PIR Sensor 29W LED 137 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	PIR Sensor	Surface, Indoor Screwless terminal block	L1202 x W302 x H45

Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>212326 Sense Surface 640x200 White 2030lm 4000K Ra>80 Trailing edge 18W LED 113 lm/W SDCM:3 L80/B20>100,000 Direct, Opalprism</p>	Class II IP20 IK10	Trailing edge	Surface, Indoor Screwless terminal block	L642 x W202 x H45
 <p>212337 Sense Surface 600x600 White 3870lm 4000K Ra>80 Trailing edge 28W LED 138 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	Trailing edge	Surface, Indoor Screwless terminal block	L597 x W597 x H45
 <p>212367 Sense Surface 300x1200 White 3980lm 4000K Ra>80 Trailing edge 29W LED 137 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	Trailing edge	Surface, Indoor Screwless terminal block	L1202 x W302 x H45
 <p>212399 Sense Surface 300x1600 White 5240lm 4000K Ra>80 Trailing edge 38W LED 138 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct, Opalprism</p>	Class II IP20 IK10	Trailing edge	Surface, Indoor Screwless terminal block	L1582 x W302 x H45
Accessories				
 <p>212255 T-profil White Suspension Rail 600mm</p>				L596 x W35 x H17
 <p>212234 Sense Surface/Disc 760 2m Wire kit</p>				L2000
 <p>820307 Emergency battery 3 Hours 3.0Ah - Model No: B093</p>				L137 x W27 x H27