












The Sense panel is well designed and only 10 mm high. A narrow frame ensures attractive look and high efficiency. Sense can be mounted to visible T-rail ceilings without accessories and to concealed T-rail ceilings, DAMPA clip-in ceilings, Trolldtekt acoustic panels and Gypsum, and surface-mounted using accessories. This makes Sense an all-round quality panel that can be used everywhere. Available both in Opal and with Mini Prism, which is almost glare-free. Sense is available in several lumen packages, on/of, phase-dimming, 1–10 V and DALI or whichever driver kit is selected (accessory).





Product- and environment images



Article	Protection	Control gear	Mounting/Connection	Dimensions
Drivers				
 <p>820083 Sense Driver White 3000lm 25W 700mA DALI-2 / Push Dim 25W 100,000</p>	Class II IP20	DALI-2 / Push Dim	Recessed, Indoor 5 pol Linect / screwless terminal block	L124 x W79 x H22
 <p>820490 Sense Driver White 3000lm 25W 700mA Trailing edge 25W 100,000</p>	Class II IP20	Trailing edge	Recessed, Indoor Cable 2m Includes cable and plug	L108 x W53 x H30
 <p>820491 Sense Driver White 3000lm 25W 700mA Trailing edge / Linect 25W 100,000</p>	Class II IP20	Trailing edge / Linect	Recessed, Indoor 3 pol Linect / screwless terminal block	L108 x W53 x H30
Accessories				
 <p>8249044502 300x1200 White Plaster board/Troldtekt Recessed frame</p>				L325 x W1225 x H55
 <p>8246094429 Emergencybox Driver DALI / EM Self test, DALI Emergency 3H</p>				L270 x W75 x H35
 <p>212170 Sense 2m Wire kit</p>				L2000
 <p>212172 Wago plug 2 meter 3-pole Plug</p>				Ø8 x L2000 x W8 x H8
 <p>212173 Wago plug 3 meter 3-pole Plug</p>				Ø8 x L3000 x W8 x H8
 <p>212174 Wago plug 2 meter 5-pole Plug</p>				Ø8 x L2000 x W8 x H8

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 212175 Wago plug 3 meter 5-pole Plug				Ø8 x L3000
 212177 Sense 600x600 Asymmetric Bracket				L44 x W5 x H2.5
 8246094364 Emergencybox On-Off/Trailing edge / EM Self test, Emergency 3 hours				L270 x W75 x H35
 8246094500 Emergencybox Driver DALI / EM DALI/Self test, Emergency 3 hours				L270 x W75 x H35