



The Sense panel is well designed and only 10 mm high. A narrow frame ensures attractive look and high efficiency. Sense can be mounted to visible T-rail ceilings without accessories and to concealed T-rail ceilings, DAMPA clip-in ceilings, Troldekt acoustic panels and Gypsum, and surface-mounted using accessories. This makes Sense an all-round quality panel that can be used everywhere. Available both in Opal and with Mini Prism, which is almost glare-free. Sense is available in several lumen packages, on/of, phase-dimming, 1-10 V and DALI or whichever driver kit is selected (accessory).

# Sense



## Product- and environment images



Article	Protection	Control gear	Mounting/Connection	Dimensions
<b>Drivers</b>				
 <p>820083  <b>Sense Driver White 3000lm 25W</b>  <b>700mA DALI-2 / Push Dim</b>  <b>25W</b>            100,000</p>	<p><b>Class II</b>  <b>IP20</b></p>	<p>DALI-2 / Push Dim</p>	<p>Recessed, Indoor            5 pol Linect / screwless terminal            block</p>	<p>L124 x W79 x H22</p>
 <p>820490  <b>Sense Driver White 3000lm 25W</b>  <b>700mA Trailing edge</b>  <b>25W</b>            100,000</p>	<p><b>Class II</b>  <b>IP20</b></p>	<p>Trailing edge</p>	<p>Recessed, Indoor            Cable 2m            Includes cable and plug</p>	<p>L108 x W53 x H30</p>
 <p>820491  <b>Sense Driver White 3000lm 25W</b>  <b>700mA Trailing edge / Linect</b>  <b>25W</b>            100,000</p>	<p><b>Class II</b>  <b>IP20</b></p>	<p>Trailing edge /            Linect</p>	<p>Recessed, Indoor            3 pol Linect / screwless terminal            block</p>	<p>L108 x W53 x H30</p>
<b>Accessories</b>				
 <p>212937  <b>Sense 300x1200 Black Recessed frame for Plaster board/Troldtekt</b></p>				<p>L1240 x W340 x H50</p>
 <p>8249044502  <b>300x1200 White Recessed frame for Plaster board/Troldtekt</b></p>				<p>L325 x W1225 x H55</p>
 <p>8246094429  <b>Emergencybox Driver DALI / EM Self test, DALI Emergency 3 hours</b></p>				<p>L270 x W75 x H35</p>
 <p>212170  <b>Sense 2m Wire kit</b></p>				<p>L2000</p>
 <p>212172  <b>Wago plug 2 meter 3-pole Plug</b></p>				<p>Ø8 x L2000 x W8 x H8</p>
 <p>212173  <b>Wago plug 3 meter 3-pole Plug</b></p>				<p>Ø8 x L3000 x W8 x H8</p>

# Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 212174 <b>Wago plug 2 meter 5-pole Plug</b>				Ø8 x L2000 x W8 x H8
 212175 <b>Wago plug 3 meter 5-pole Plug</b>				Ø8 x L3000
 212177 <b>Sense 600x600 Asymmetric Bracket</b>				L44 x W5 x H2.5
 8246094364 <b>Emergencybox On-Off/Trailing edge / EM Self test, Emergency 3 hours</b>				L270 x W75 x H35
 8246094500 <b>Emergencybox Driver DALI / EM DALI/Self test, Emergency 3 hours</b>				L270 x W75 x H35