

Sense Eco Opalprism 300x1200



The Sense Eco panel is well designed and only 10 mm high. A narrow frame ensures attractive look and high efficiency. Sense can be mounted to visible T-rail ceilings without accessories and to concealed T-rail ceilings, DAMPA clip-in ceilings, Trolldtekt acoustic panels and Gypsum, and surface-mounted using accessories. This makes Sense an all-round quality panel that can be used everywhere. Sense is available with phase-dimming or DALI depending on which driver kit is selected (accessory).

Sense Eco Opalprism 300x1200



Product- and environment images



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>212224 Sense ECO 300x1200 White Opalprism 3000K Ra>80 LED SDCM:3 L80/B20>50,000 Beam: 110°, Direct, Opalprism</p>	Class III IP40/IP20 IK10		Recessed, Indoor Quick connector	L1197 x W297 x H10
 <p>212225 Sense ECO 300x1200 White Opalprism 4000K Ra>80 LED SDCM:3 L80/B20>50,000 Beam: 110°, Direct, Opalprism</p>	Class III IP40/IP20 IK10		Recessed, Indoor Quick connector	L1197 x W297 x H10
Drivers				
 <p>820083 Sense Driver White 3000lm 25W 700mA DALI-2 / Push Dim 25W 100,000</p>	Class II IP20	DALI-2 / Push Dim	Recessed, Indoor 5 pol Linect / screwless terminal block	L124 x W79 x H22
 <p>820490 Sense Driver White 3000lm 25W 700mA Trailing edge 25W 100,000</p>	Class II IP20	Trailing edge	Recessed, Indoor Cable 2m Includes cable and plug	L108 x W53 x H30
 <p>820491 Sense Driver White 3000lm 25W 700mA Trailing edge / Linect 25W 100,000</p>	Class II IP20	Trailing edge / Linect	Recessed, Indoor 3 pol Linect / screwless terminal block	L108 x W53 x H30
Accessories				
 <p>212937 Sense 300x1200 Black Plaster board/Troldtekt Recessed frame</p>				L1240 x W340 x H50
 <p>212257 Sense 300x1200 White Surface frame</p>				L1203 x W303 x H47

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 820489 Sensor Dim Box White 200VA				L220 x W75 x H34
 8249044502 300x1200 White Plaster board/Troldtekt Recessed frame				L325 x W1225 x H55
 8246094429 Emergencybox Driver DALI / EM Self test, DALI Emergency 3 hours				L270 x W75 x H35
 212170 Sense 2m Wire kit				L2000
 8246094364 Emergencybox On-Off/Trailing edge / EM Self test, Emergency 3 hours				L270 x W75 x H35
 8246094500 Emergencybox Driver DALI / EM DALI/Self test, Emergency 3 hours				L270 x W75 x H35