

# Sense 320 3-Circuit



General lighting luminaire for ShopLine three-phase track systems. It can even be used with other track systems that fits Global adapters. Stylish, thin disc, with opal prismatic front, directing the light and securing low glare. The driver is integrated in the track adapter.

# Sense 320 3-Circuit



## Product- and environment images



# Article codes



Article		Protection	Control gear	Mounting/Connection	Dimensions
	212386 <b>Sense 320 3-Circuit Black 3160lm</b> <b>3000K Ra&gt;80 On/Off</b> <b>27W LED</b> 117 lm/W SDCM:3 L80/B20>100,000 Beam: 85°, Direct, Opal	<b>Class II SELV</b> <b>IP40/IP20</b>	On/Off	Surface, Indoor ShopLine track (adapter included)	Ø320 x H100
	212382 <b>Sense 320 3-Circuit White 3390lm</b> <b>3000K Ra&gt;80 On/Off</b> <b>27W LED</b> 126 lm/W SDCM:3 L80/B20>100,000 Beam: 85°, Direct, Opal	<b>Class II SELV</b> <b>IP40/IP20</b>	On/Off	Surface, Indoor ShopLine track (adapter included)	Ø320 x H100
	212387 <b>Sense 320 3-Circuit Black 3330lm</b> <b>4000K Ra&gt;80 On/Off</b> <b>27W LED</b> 123 lm/W SDCM:3 L80/B20>100,000 Beam: 85°, Direct, Opal	<b>Class II SELV</b> <b>IP40/IP20</b>	On/Off	Surface, Indoor ShopLine track (adapter included)	Ø320 x H100
	212383 <b>Sense 320 3-Circuit White 3570lm</b> <b>4000K Ra&gt;80 On/Off</b> <b>27W LED</b> 132 lm/W SDCM:3 L80/B20>100,000 Beam: 85°, Direct, Opal	<b>Class II SELV</b> <b>IP40/IP20</b>	On/Off	Surface, Indoor ShopLine track (adapter included)	Ø320 x H100