



# Soft Square



Soft Square is a unique downlight with a pure square shape to fit in modern environments, both residential and commercial. It provides a wide light distribution with a sharp shape. The recessed light source in the black baffle gives an exclusive glare free appearance with harmonious, flicker free light and excellent colour rendering. Soft Square is made for square holes but by using additional frames it can also be installed in round holes.

## Product- and environment images



# Article codes



| Article                                                                                                                                                                                                                                                                                       | Protection                                                             | Control gear      | Mounting/Connection                                                    | Dimensions            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------|------------------------------------------------------------------------|-----------------------|
|  <p>903252</p> <p><b>Soft Square Black 880lm 2700K Ra</b></p> <p><b>98 DALI-2 / Push Dim</b></p> <p><b>12W LED</b></p> <p>73 lm/W SDCM:1</p> <p>L80/B10&gt;100,000</p> <p>Beam: 60°, Direct, Reflector</p>   | <p><b>Class II SELV</b></p> <p><b>IP43/IP20</b></p> <p><b>IK10</b></p> | DALI-2 / Push Dim | <p>Recessed, Indoor</p> <p>5 pol Linect / screwless terminal block</p> | L95 x W95 x H58 x D57 |
|  <p>903250</p> <p><b>Soft Square Black 880lm 2700K Ra</b></p> <p><b>98 Trailing edge</b></p> <p><b>12W LED</b></p> <p>73 lm/W SDCM:1</p> <p>L80/B10&gt;100,000</p> <p>Beam: 60°, Direct, Reflector</p>       | <p><b>Class II SELV</b></p> <p><b>IP43/IP20</b></p> <p><b>IK10</b></p> | Trailing edge     | <p>Recessed, Indoor</p> <p>Screwless terminal block</p>                | L95 x W95 x H58 x D57 |
|  <p>903262</p> <p><b>Soft Square White 900lm 2700K Ra</b></p> <p><b>98 DALI-2 / Push Dim</b></p> <p><b>12W LED</b></p> <p>75 lm/W SDCM:1</p> <p>L80/B10&gt;100,000</p> <p>Beam: 60°, Direct, Reflector</p>   | <p><b>Class II SELV</b></p> <p><b>IP43/IP20</b></p> <p><b>IK10</b></p> | DALI-2 / Push Dim | <p>Recessed, Indoor</p> <p>5 pol Linect / screwless terminal block</p> | L95 x W95 x H58 x D57 |
|  <p>903260</p> <p><b>Soft Square White 900lm 2700K Ra</b></p> <p><b>98 Trailing edge</b></p> <p><b>12W LED</b></p> <p>75 lm/W SDCM:1</p> <p>L80/B10&gt;100,000</p> <p>Beam: 60°, Direct, Reflector</p>     | <p><b>Class II SELV</b></p> <p><b>IP43/IP20</b></p> <p><b>IK10</b></p> | Trailing edge     | <p>Recessed, Indoor</p> <p>Screwless terminal block</p>                | L95 x W95 x H58 x D57 |
|  <p>903253</p> <p><b>Soft Square Black 890lm 3000K Ra</b></p> <p><b>98 DALI-2 / Push Dim</b></p> <p><b>12W LED</b></p> <p>74 lm/W SDCM:1</p> <p>L80/B10&gt;100,000</p> <p>Beam: 60°, Direct, Reflector</p> | <p><b>Class II SELV</b></p> <p><b>IP43/IP20</b></p> <p><b>IK10</b></p> | DALI-2 / Push Dim | <p>Recessed, Indoor</p> <p>5 pol Linect / screwless terminal block</p> | L95 x W95 x H58 x D57 |
|  <p>903251</p> <p><b>Soft Square Black 890lm 3000K Ra</b></p> <p><b>98 Trailing edge</b></p> <p><b>12W LED</b></p> <p>74 lm/W SDCM:1</p> <p>L80/B10&gt;100,000</p> <p>Beam: 60°, Direct, Reflector</p>     | <p><b>Class II SELV</b></p> <p><b>IP43/IP20</b></p> <p><b>IK10</b></p> | Trailing edge     | <p>Recessed, Indoor</p> <p>Screwless terminal block</p>                | L95 x W95 x H58 x D57 |

# Article codes



| Article                                                                                                                                                                                                                                                                                                       | Protection                                              | Control gear      | Mounting/Connection                                         | Dimensions            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|-------------------|-------------------------------------------------------------|-----------------------|
|  <p>903263<br/> <b>Soft Square White 910lm 3000K Ra</b><br/> <b>98 DALI-2 / Push Dim</b><br/> <b>12W LED</b><br/>           76 lm/W SDCM:1<br/>           L80/B10&gt;100,000<br/>           Beam: 60°, Direct, Reflector</p> | <b>Class II SELV</b><br><b>IP43/IP20</b><br><b>IK10</b> | DALI-2 / Push Dim | Recessed, Indoor<br>5 pol Linect / screwless terminal block | L95 x W95 x H58 x D57 |
|  <p>903261<br/> <b>Soft Square White 910lm 3000K Ra</b><br/> <b>98 Trailing edge</b><br/> <b>12W LED</b><br/>           76 lm/W SDCM:1<br/>           L80/B10&gt;100,000<br/>           Beam: 60°, Direct, Reflector</p>     | <b>Class II SELV</b><br><b>IP43/IP20</b><br><b>IK10</b> | Trailing edge     | Recessed, Indoor<br>Screwless terminal block                | L95 x W95 x H58 x D57 |
| <b>Accessories</b>                                                                                                                                                                                                                                                                                            |                                                         |                   |                                                             |                       |
|  <p>903256<br/> <b>Black 1X Frame for Soft Square, Junistar Lux Square &amp; Junistar Square DTW</b></p>                                                                                                                     |                                                         |                   |                                                             | L140 x W140 x H4      |
|  <p>903257<br/> <b>Black 2X Frame for Soft Square, Junistar Lux Square &amp; Junistar Square DTW</b></p>                                                                                                                   |                                                         |                   |                                                             | L258 x W140 x H4      |
|  <p>903259<br/> <b>Black 3X Frame for Soft Square, Junistar Lux Square &amp; Junistar Square DTW</b></p>                                                                                                                    |                                                         |                   |                                                             | L376 x W140 x H4      |
|  <p>903267<br/> <b>Soft Square Black Spacer</b></p>                                                                                                                                                                        |                                                         |                   |                                                             | L95 x W95 x H13       |
|  <p>903254<br/> <b>White 1X Frame for Soft Square, Junistar Lux Square &amp; Junistar Square DTW</b></p>                                                                                                                   |                                                         |                   |                                                             | L140 x W140 x H4      |
|  <p>903255<br/> <b>White 2X Frame for Soft Square, Junistar Lux Square &amp; Junistar Square DTW</b></p>                                                                                                                   |                                                         |                   |                                                             | L258 x W140 x H4      |
|  <p>903258<br/> <b>White 3X Frame for Soft Square, Junistar Lux Square &amp; Junistar Square DTW</b></p>                                                                                                                    |                                                         |                   |                                                             | L376 x W140 x H4      |
|  <p>903266<br/> <b>Soft Square White Spacer</b></p>                                                                                                                                                                        |                                                         |                   |                                                             | L95 x W95 x H13       |



| Article                                                                                                                                                             | Protection | Control gear | Mounting/Connection | Dimensions       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------|---------------------|------------------|
|  820090<br>Emergencybox Adapter kit for downlight                                  |            |              |                     | L250 x W13 x H13 |
|  8246094364<br>Emergencybox On-Off/Trailing edge / EM Self test, Emergency 3 hours |            |              |                     | L270 x W75 x H35 |
|  8246094500<br>Emergencybox Driver DALI / EM DALI/Self test, Emergency 3 hours     |            |              |                     | L270 x W75 x H35 |