





Attractive downlight for indoor and outdoor use. Mounted directly in the insulation. Well integrated LED chip, dimmable via phase-dimming or DALI driver (not IsoSafe). Made of die-cast powder-coated aluminium or brushed steel (only indoors), glass diffuser. 42-degree scattering angle via reflector. 35 mm in total height, Flexible hole dimensions Ø76–Ø83. Tool-free mounting in mounting box for direct 230 V with loopable quick clips and automatic strain relief. IP54, Class II

Product- and environment images














For line drawing dimensions please see each single article codes on next page

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>904201</p> <p>UniLED IsoSafe White 670lm 2700K</p> <p>Ra 98 Trailing edge</p> <p>8.5W LED</p> <p>79 lm/W SDCM:2</p> <p>L90/B10>100,000</p> <p>Beam: 42°, Direct, Reflector</p>	<p>Class II SELV</p> <p>IP54</p>	Trailing edge	Recessed, Indoor / Outdoor Screwless terminal block	Ø94 x H37
 <p>904301</p> <p>UniLED IsoSafe White 690lm 3000K</p> <p>Ra 98 Trailing edge</p> <p>8.5W LED</p> <p>81 lm/W SDCM:2</p> <p>L90/B10>100,000</p> <p>Beam: 42°, Direct, Reflector</p>	<p>Class II SELV</p> <p>IP54</p>	Trailing edge	Recessed, Indoor / Outdoor Screwless terminal block	Ø94 x H37
Accessories				
 <p>9223</p> <p>Rehab Ring White 133mm for Junistar, Uniled, Soft & Jupiter</p>				Ø133 x L133 x W133 x H4
 <p>9224</p> <p>Rehab Ring White 180mm for Junistar, Uniled, Soft & Jupiter</p>				Ø180 x H45
 <p>9227</p> <p>Rehab Ring White 250mm for Junistar, Uniled, Soft & Jupiter</p>				Ø250 x H45
 <p>8246094429</p> <p>Emergencybox Driver DALI / EM Self test, DALI Emergency 3H</p>				L270 x W75 x H35
 <p>820090</p> <p>Emergencybox Adapter kit for downlight</p>				L250 x W13 x H13
 <p>8246094364</p> <p>Emergencybox On-Off/Trailing edge / EM Self test, Emergency 3 hours</p>				L270 x W75 x H35
 <p>8246094500</p> <p>Emergencybox Driver DALI / EM DALI/Self test, Emergency 3 hours</p>				L270 x W75 x H35