

Zip Pro Mini 3-Circuit



Three-phase rail spot with integrated powerful LED chip and driver. Dimmable with phase dimmer. Mounted using global multi-adapter, which is ideal for SG's three-phase rail system as well as other systems where Global can be used. Perfect colour rendering due to very high RA value and SDCM 2. ZIP Pro Mini is made of powder-coated aluminium, flexible and able to be pointed in almost all directions, making it the obvious choice for all places where spots or effect lighting is to be used.

Zip Pro Mini 3-Circuit



Product- and environment images



Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 3467 Zip Pro Mini 3-Circuit Black 1280lm 3000K Ra>90 Trailing edge 19W LED 67 lm/W SDCM:2 L80/B20>50,000 Beam: 40°, Direct, Reflector	Class I IP20	Trailing edge	Surface, Indoor ShopLine track (adapter included)	L156 x W70 x H205
 3464 Zip Pro Mini 3-Circuit White 1280lm 3000K Ra>90 Trailing edge 19W LED 67 lm/W SDCM:2 L80/B20>50,000 Beam: 40°, Direct, Reflector	Class I IP20	Trailing edge	Surface, Indoor ShopLine track (adapter included)	L156 x W70 x H205